visomax

VISOMAX COATING LIGHTING CONCEPTS

Portfolio for light walls, light tunnels and customized solutions

PrometoolZ VPZ Professional Tools



VISOMAX COATING GMBH • 13. August. 2021

CONTENT

LIGHT WALL ECO	3
LIGHT WALL ECO 45°	4
FINISH STATION	5
CUSTOMIZED SOLUTIONS	6
SUMMARY	10
CONTACT	12

visOmax

LIGHT WALL ECO

The light wall ECO is, thanks to its compact construction, the perfect starter model for the professional lighting of painted high-gloss surfaces.
With the two switch and rotary dimmers mounted on the backside, the warm and cold light lamps can be switched and dimmed separately.
This way, individual lighting options can be set that are optimally balanced with the type of coating and the refelxion level of the surface.

Technical Data

Art. N°: PZ-MLW-ECO
Art. N°: PZ-MLW-ECO-L

width	770 mm
depth	600 mm
height	1770 mm
weight	45 kg
power / power LED	232 Watt / 128 Watt
rolls (caster wheel)	2
rolls (caster wheel with brakes)	2
mains connection (VAC/50Hz)	230 VAC/50Hz
dimmable	yes

LIGHT WALL ECO 45°

The light wall ECO 45° is, thanks to its compact construction incl. 45° light panel, the perfect lighting module for the efficient and high-quality coat finish.
By the mean of the integrated and shrinkable 45° light panel even horizontal surfaces can be illuminated. Thanks to the four switch and rotary dimmers mounted on the backside, the warm and cold light lamps can be switched and dimmed separately. This way, customized light options can be set that are optimally balanced with the type of coating and the refelxion level of the surface. When there are only vertical surfaces to be illuminated, the 45° light panel can be switched off completely.
To manage lower passages, the 45° light panel can be pulled backwards reducing the total height of the light wall to 1830 mm.

Technical Data

Art. N°: PZ-MLW-ECO-45
Art. N°: PZ-MLW-ECO-45-L

length	770 mm
depth/width	600 mm
height	2390 mm
shrinked measurements	1830 mm
weight	60 kg
rolls (caster wheel)	2
rolls (caster wheel with brakes)	2
mains connection	230 V/AC/ - 50 Hz
protection class	IP54
power / power LED	304 W / 168 W
dimmable	yes

The Visomax Finish Station is not only the perfect lighting module for the coat finish, it is also a Finish workplace.
Everywhere with a lack of space for the coat finish or when the coat finish has to be done at different places, this product goes into action. The combination of lighting, tool and storage is unique at the market and consequently it is one of the top sellers of our workshop equipment.

Technical Data Light Wall

Art. N°: PZ-MLW-ECO-45-WS01

length	780 mm
depth/width	790 mm
height	2390 mm
shrinked measurements	1830 mm
weight incl. tool cabinet	100 kg
rolls (caster wheel)	2
rolls (caster wheel with brakes)	2
mains connection	230 V/AC, 50 Hz
protection class	IP54
dimmable	yes

CUSTOMIZED PROJECTS

One of our strengths is the individual special construction of all kind of lighting systems. This includes among other things light tunnels, fully equiped workplaces as well as customized work-tables and light walls.





CUSTOMIZED WORKTABLES

The Visomax WorkTables are nearly with every single piece customized development that is designed according to specifications from the customer or according to the element to be examined and treated.
While processing we always have an eye on the ergonomy of the workplace and we integrate usefully the required tools and consumables into the worktable.
With our longtime experience in this sector we are a professional consulting partner during the complete course of the project.

CUSTOMIZED LIGHT WALLS

The moment when "standard" is no option our light wall Kompakt, light wall Kompakt 45° and light wall 45° are chosen.
These light walls are adapted individually to the customer's site and constructed correspondingly.
These light walls may show differences in construction, size, controll or in the type of lamps.



CUSTOMIZED LIGHT TUNNELS

For all customers for those a mobile lighting solution is not eligible, we offer stationary light tunnels. Also these light tunnels are individual and customized products that we design and produce according to the customers profile requirements. Our customers include OEM plants, paint shops and also high-quality after-market paint rectification.





By using the right lighting systems, the following advantages can be achieved:

- Increase in surface quality
- Reduction in the number of complaints
- Reduction of rework
- Reduction of material consumption
- Reduction of time spent on troubleshooting
- Increase of economic efficiency

NOTES

IMPRINT:

Visomax Coating GmbH

VISOMAX COATING LIGHT CONCEPT

Publisher
Visomax Coating GmbH
Dachdeckerstr. 2 – 4
D-97297 Waldbuettelbrunn

phone: +49 931 452814-0
fax: +49 931 452814-29

e-mail: info@visomax.de

Managing Director:
Mr. Andreas Götz

Registered office: Waldbuettelbrunn
Register court: Amtsgericht Wuerzburg
Commercial register no: HRB 8122
VAT ID No.: DE 813 684 406

CONTACT

Visomax Coating GmbH

Dachdeckerstr. 2 - 4
Germany
97297 Waldbuettelbrunn

www.visomax.de