

Visomax Coating GmbH

# PRODUCT CATALOG

# 2023




vis**Q**max


# OUR BRANDS



Visomax AbraxX – the brand for outstanding and professional sanding process



Visomax PrometheuS – the brand for outstanding and professional polishing processes



Visomax PrometoolZ – the brand for the professional application

## AbraxX

### Sanding Disc

- velcro-round
- stick-on-round

### Sanding Discs Ø080 - Ø230 mm

- High Performance
- Textile structure

### Foam sanding disc

- Handpads
- High Performance Soft
- Sanding blocks

### Fleece

- Pads

### Accessories

- Dispenser for sanding discs
- Sanding liquid

## Prometheus

### Foam pads

- Finish³System
- Standard
- Sandwich
- Turbine
- Waffle

### Lamb's Wool

- natural/bonded
- natural/stitched skin
- Wool velours pads

### Microfibre

- Microfibre pads
- Microfibre cloths

### Finish Control Spray

### Polishes

- Heavy cut
- Medium cut
- Fine Gloss

### Sealants

### Paint Markers

### Interface-Pads

### Backup pads

### Pad Washer

### Accessories

## PrometoolZ

### Tools

- Sandinator Cordless Series
- Polinator
- Electric Tools
- Sandinator Corded Series
- Accessories Electro
- Pneumatic
- Accessories Pneumatic

### Accessories Tools

- Backup pads
- Tools & Accessories

### Inspection & Lighting Systems

- Mobile Light Walls
- Finish Station LED
- Customized Projects

### Vacuum cleaner

- Vacuum cleaner
- Vacuum cleaner set
- Vacuum cleaner Accessories
- Sanding Station

## VisCoat

### Accessories

- Tack Cloth

## Kits & Accessories

- Kits
- Gloves

## Terms of Delivery

# AbraxX - Abrasives

## **Visomax AbraxX - the brand for professional sanding**

Visomax owns a worldwide unique spectrum of experience, technical expertise and products regarding the processes in the professional sector of painted surfaces.

We as like as our customers benefit from a continuous development of our products and concepts, based on an intensive and global cooperation with well-known automobile manufacturers since 2003.

The requirement of our customers and our projects are the achievement of perfect results for high gloss painted surfaces within a short processing time at any time.

To be able to realize sanding concepts, it is necessary to have perfect fitting and compatible components.

The AbraxX product series is applicable for the professional use where efficiency, cleanliness, speed and profitability are key factors.

The AbraxX VAX-Catalog is a wide overview of all the abrasives for the optimum paint preparation and an effective finish process.

All the listed products are suitable for all fields of application that demand a manual, semi-automatic or fully automatic sanding process.

All the abrasives are adapted with their structure and characteristics to the corresponding field of application.

Corresponding to the product they are available with adhesive or velcro bonding in different versions, sizes and forms.

### **These include:**

- film abrasives
- abrasives on paper mount
- foam laminated abrasives
- in foam embedded abrasives (sanding pads)





**There are various fields of application for the VAX series:**

- Automotive Industry
- TIER1/ TIER2 (e. g. plastic components)
- Ship Industry
- Furniture Industry and Carpenters
- Music Instrument Industry
- Manufacturing of high gloss interior for yachts and aircraft
- Aircraft Industry

Our AbraxX Abrasives series offers unique economical and technical advantages during the application in comparison with alternative products available at the market.

In combination with our PrometeuS VPS Polishing series and the PrometoolZ VPZ Tool series they complete each other to an outstanding combination for faster and more stable processes.

Our competent and friendly sales team along with our back office is looking forward to support you by choosing the right products and developing your process to the optimum.


Please get in contact with us for your perfect finish.



[www.visomax.de](http://www.visomax.de)

e-mail: [info@visomax.de](mailto:info@visomax.de)


phone: **+49 931 452814 - 0**


## Mini Sanding Discs | Stick-On Round | Film Structure | Ø 32 mm




Art. N°	Description	Control N°	Unit	EAN
AX630-18101-0200	AbraxX Sanding Disc P3000, Ø 20 mm, stick-on-round, film structure	1400-0032-191U	150 pcs	
AX640-18101-0200	AbraxX Sanding Disc P4000, Ø 20 mm, stick-on-round, film structure	1400-0032-193X	150 pcs	





## Mini Sanding Discs | Stick-On Round | Film Structure | Ø 20 mm




Art. N°	Description	Control N°	Unit	EAN
AX630-16101-0200	AbraxX Sanding Disc P3000, Ø 20 mm, stick-on, round, film structure	1400-0032-198N	150 pcs	


## Mini Sanding Discs | Stick-On Round | Film Structure | Ø 32 mm



Art. N°	Description	Control N°	Unit	EAN
AX620-18101-0320	AbraxX Sanding Disc P2000, Ø 32 mm, stick-on, round, film structure	1400-0040-243U	100 pcs	
AX625-18101-0320	AbraxX Sanding Disc P2500, Ø 32 mm, stick-on, round, film structure	1400-0040-247J	100 pcs	
AX630-18101-0320	AbraxX Sanding Disc P3000, Ø 32 mm, stick-on, round, film structure	1400-0040-241A	100 pcs	
AX640-18101-0320	AbraxX Sanding Disc P4000, Ø 32 mm, stick-on-round, film structure	1400-0040-243T	100 pcs	





## Mini Sanding Discs | Stick-On Round | Film Structure | Ø 32 mm



Art. N°	Description	Control N°	Unit	EAN
AX630-16101-0320	AbraxX Sanding Disc P3000, Ø 32 mm, stick-on, round, film structure	1400-0040-248R	100 pcs	





## Mini Sanding Discs | Velcro Round | Film structure | Ø 20 mm



Art. N°	Description	Control N°	Unit	EAN
AX620-18201-0200	AbraxX Sanding Disc P2000, Ø 20 mm, velcro, round, film structure	1400-0091-342F	300 pcs	
AX625-18201-0200	AbraxX Sanding Disc P2500, Ø 20 mm, velcro, round, film structure	1400-0091-348N	300 pcs	
AX630-18201-0200	AbraxX Sanding Disc P3000, Ø 20 mm, velcro, round, film structure	1400-0091-342N	300 pcs	
AX640-18201-0200	AbraxX Sanding Disc P4000, Ø 20 mm, velcro-round, film structure	1400-0091-348X	300 pcs	



## Mini Sanding Discs | Velcro Round | Film structure | Ø 32 mm




Art. N°	Description	Control N°	Unit	EAN
AX620-18201-0320	AbraxX Sanding Disc P2000, Ø 32 mm, velcro, round, film structure	1400-0075-245L	200 pcs	
AX625-18201-0320	AbraxX Sanding Disc P2500, Ø 32 mm, velcro, round, film structure	1400-0075-245Y	200 pcs	
AX630-18201-0320	AbraxX Sanding Disc P3000, Ø 32 mm, velcro, round, film structure	1400-0075-241K	200 pcs	
AX640-18201-0320	AbraxX Sanding Disc P4000, Ø 32 mm, velcro-round, film structure	1400-0075-248W	200 pcs	


## Mini Sanding Discs | Velcro Round | Paper Mount | Ø 32 mm



Art. N°	Description	Control N°	Unit	EAN
AX625-7203-0320	AbraxX Sanding Disc P2500 Ø 32 mm, velcro, round, paper mount	1400-0062-392J	200 pcs	
AX630-7203-0320	AbraxX Sanding Disc P3000 Ø 32 mm, velcro, round, paper mount	1400-0062-391Q	200 pcs	














## Mini Sanding Discs | Velcro Round | Film structure | Ø 32 mm




Art. N°	Description	Control N°	Unit	EAN
AX630-16201-0320	AbraxX Sanding Disc P3000, Ø 32 mm, velcro, round, film structure	1400-0080-145Z	200 pcs	















## Sanding Discs | High Performance | Ø 75 mm | 0 Holes



Art. N°	Description	Control N°	Unit	EAN
AX5080-929-075-0	AbraxX HP Sanding Discs P80, Ø 75 mm, 0 holes	1400-0011-895X	50 pcs	
AX5120-929-075-0	AbraxX HP Sanding Discs P120, Ø 75 mm, 0 holes	1400-0020-996Q	100 pcs	
AX5180-929-075-0	AbraxX HP Sanding Discs P180, Ø 75 mm, 0 holes	1400-0020-991M	100 pcs	
AX5240-929-075-0	AbraxX HP Sanding Discs P240, Ø 75 mm, 0 holes	1400-0020-995I	100 pcs	
AX5320-929-075-0	AbraxX HP Sanding Discs P320, Ø 75 mm, 0 holes	1400-0020-996B	100 pcs	
AX5400-929-075-0	AbraxX HP Sanding Discs P400, Ø 75 mm, 0 holes	1400-0020-997U	100 pcs	
AX5500-929-075-0	AbraxX HP Sanding Discs P500, Ø 75 mm, 0 holes	1400-0020-992Q	100 pcs	
AX5600-929-075-0	AbraxX HP Sanding Discs P600, Ø 75 mm, 0 holes	1400-0020-991H	100 pcs	
AX5800-929-075-0	AbraxX HP Sanding Discs P800, Ø 75 mm, 0 holes	1400-0020-991Z	100 pcs	
AX71000-929-075-0	AbraxX HP Sanding Discs P1000, Ø 75 mm, 0 holes	1400-0017-846E	50 pcs	
AX71200-929-075-0	AbraxX HP Sanding Discs P1200, Ø 75 mm, 0 holes	1400-0017-844M	50 pcs	
AX71500-929-075-0	AbraxX HP Sanding Discs P1500, Ø 75 mm, 0 holes	1400-0017-842L	50 pcs	
AX72000-929-075-0	AbraxX HP Sanding Discs P2000, Ø 75 mm, 0 holes	1400-0017-847B	50 pcs	

## Sanding Discs | High Performance | Ø 150 mm | 21 Holes






Art. N°	Description	Control N°	Unit	EAN
AX5080-929-150-21	AbraxX HP Sanding Discs P80, Ø 150 mm, 21 holes	1400-0018-947Z	50 pcs	
AX5120-929-150-21	AbraxX HP Sanding Discs P120, Ø 150 mm, 21 holes	1400-0031-848S	100 pcs	
AX5150-929-150-21	AbraxX HP Sanding Discs P150, Ø 150 mm, 21 holes	1400-0031-847A	100 pcs	
AX5180-929-150-21	AbraxX HP Sanding Discs P180, Ø 150 mm, 21 holes	1400-0031-843O	100 pcs	
AX5240-929-150-21	AbraxX HP Sanding Discs P240, Ø 150 mm, 21 holes	1400-0031-847K	100 pcs	
AX5320-929-150-21	AbraxX HP Sanding Discs P320, Ø 150 mm, 21 holes	1400-0031-848D	100 pcs	
AX5360-929-150-21	AbraxX HP Sanding Discs P360, Ø 150 mm, 21 holes	1400-0031-843H	100 pcs	
AX5400-929-150-21	AbraxX HP Sanding Discs P400, Ø 150 mm, 21 holes	1400-0031-849W	100 pcs	
AX5500-929-150-21	AbraxX HP Sanding Discs P500, Ø 150 mm, 21 holes	1400-0031-843R	100 pcs	
AX5600-929-150-21	AbraxX HP Sanding Discs P600, Ø 150 mm, 21 holes	1400-0031-843J	100 pcs	
AX5800-929-150-21	AbraxX HP Sanding Discs P800, Ø 150 mm, 21 holes	1400-0031-843B	100 pcs	
AX71000-929-150-21	AbraxX HP Sanding Discs P1000, Ø 150 mm, 21 holes	1400-0027-294D	50 pcs	
AX71200-929-150-21	AbraxX HP Sanding Discs P1200, Ø 150 mm, 21 holes	1400-0027-296S	50 pcs	
AX71500-929-150-21	AbraxX HP Sanding Discs P1500, Ø 150 mm, 21 holes	1400-0027-290G	50 pcs	
AX72000-929-150-21	AbraxX HP Sanding Discs P2000, Ø 150 mm, 21 holes	1400-0027-299O	50 pcs	




## Sanding Discs | Sheets | 130 x 170 mm



Art. N°	Description	Control N°	Unit	EAN
AX5600-9218-130170-0	AbraxX Flex Sheets P600, 130 x 170 mm, blue	1400-0059-849G	50 pcs	
AX5800-9218-130170-0	AbraxX Flex Sheets P800, 130 x 170 mm, yellow	1400-0059-849Y	50 pcs	
AX71500-9218-1301700	AbraxX Flex Sheets P1500, 130 x 170 mm, orange	1400-0059-845U	50 pcs	




## Sanding Discs | Textile Structure | Ø 75 mm | 0 Holes




Art. N°	Description	Control N°	Unit	EAN
AX5600-9209-075-0	AbraxX Flexible Sanding Discs P600, Ø 75 mm, 0 holes, blue	1400-0027-296D	50 pcs	
AX5800-9209-075-0	AbraxX Flexible Sanding Discs P800, Ø 75 mm, 0 holes, yellow	1400-0027-297W	50 pcs	
AX71500-9209-075-0	AbraxX Flexible Sanding Discs P1500, Ø 75 mm, 0 holes, orange	1400-0027-293C	50 pcs	



## Sanding Discs | Textile Structure | Ø 150 mm | 21 Holes



Art. N°	Description	Control N°	Unit	EAN
AX5600-9209-150-21	AbraxX Flexible Sanding Discs P600, Ø 150 mm, 21 holes, blue	1400-0055-298F	50 pcs	
AX5800-9209-150-21	AbraxX Flexible Sanding Discs P800, Ø 150 mm, 21 holes, yellow	1400-0055-298X	50 pcs	
AX71500-9209-150-21	AbraxX Flexible Sanding Discs P1500, Ø 150 mm, 21 holes, orange	1400-0055-291E	50 pcs	



## Abrasives Foam Pad | Handpads | 115 x 140 x 5 mm



Art. N°	Description	Control N°	Unit	EAN
AX5500-806-115140-0	AbraxX Softpad P500, superfine, 115 x 140 x 5 mm	1400-0022-126L	20 pcs	
AX71500-806-115140-0	AbraxX Soft Pad P1500, micro fine, 115 x 140 x 5 mm	1400-0022-128V	20 pcs	


## Abrasives Foam Pad | Handpads | 115 x 140 x 5 mm



Art. N°	Description	Control N°	Unit	EAN
AX5600-822-115140-0	AbraxX Handpad P600, 115 x 140 x 5 mm	1600-0018-391T	16 pcs	
AX71000-822-115140-0	AbraxX Handpad P1000, 115 x 140 x 5 mm	1400-0018-392T	16 pcs	


## Abrasives Foam Pad | Handpads | 120 x 98 x 13 mm



Art. N°	Description	Control N°	Unit	EAN
AX5500-808-120098-0	AbraxX Handpad P500, 120 x 98 x 13 mm	1400-0187-599O	250 pcs	

## Abrasives Foam Pad | Handpads | 123 x 98 x 12 mm






Art. N°	Description	Control N°	Unit	EAN
AX72500-836-123098-0	AbraxX Handpad (Foam), 123 x 98 x 12 mm, P2500	1400-0151-192N	250 pcs	






## HP Soft Disc | Sanding Discs | Ø 75 mm | 0 Holes




Art. N°	Description	Control N°	Unit	EAN
AX730-2122-075-0	HP Soft Disc P3000, Ø 75 mm, 0 holes	1400-0051-957W	30 pcs	
AX740-2122-075-0	HP Soft Disc P4000, Ø 75 mm, 0 holes	1400-0051-958O	30 pcs	
AX750-2122-075-0	HP Soft Disc P5000, Ø 75 mm, 0 holes	1400-0051-954L	30 pcs	



## HP Soft Disc | Sanding Discs | Ø 150 mm | 0 Holes




Art. N°	Description	Control N°	Unit	EAN
AX730-2122-150-0	HP Soft Disc P3000, Ø 150 mm, 0 holes	1400-0122-960M	30 pcs	
AX740-2122-150-0	HP Soft Disc P4000, Ø 150 mm, 0 holes	1400-0122-969K	30 pcs	
AX750-2122-150-0	HP Soft Disc P5000, Ø 150 mm, 0 holes	1400-0122-967O	30 pcs	



## Abrasives Foam Pad | Sanding Discs | Ø 60 mm | 0 Holes



Art. N°	Description	Control N°	Unit	EAN
AX5600-822-0600	AbraxX Sanding Pad P600, 60 mm	1400-0015-993C	15 pcs	
AX71000-822-0600	AbraxX Sanding Pad P1000, Ø 60 mm	1400-0015-994C	15 pcs	


## Abrasives Foam Pad | Sanding Discs | Ø 75 - 78 mm | 0 Holes



Art. N°	Description	Control N°	Unit	EAN
AX5500-822-0780	AbraxX Sanding Pad P500, Ø 78 mm, 0 holes	1400-0017-191P	15 pcs	
AX72500-822-0780	AbraxX Sanding Pad P2500, Ø 78 mm, 0 holes	1400-0017-194J	15 pcs	






## Abrasives Foam Pad | Sanding Blocks | 100 x 70 x 27 mm



Art. N°	Description	Control N°	Unit	EAN
AX71000-808-10070270	AbraxX Sanding Block P1000, 100 x 70 x 27 mm	1400-0017-191T	18 pcs	


## Abrasives Foam Pad | Sanding Blocks | 100 x 70 x 27 mm



Art. N°	Description	Control N°	Unit	EAN
AX5220-808-10070270I	AbraxX Sanding Block, 100 x 70 x 27 mm, P220	1400-0193-198C	250 pcs	
AX5220-858-10070270I	AbraxX Sanding Block, 100 x 70 x 27 mm, P220	1400-0193-196Q	250 pcs	
AX5280-808-10070270I	AbraxX Sanding Block, 100 x 70 x 27 mm, P280	1400-0193-199C	250 pcs	
AX5320-808-10070270I	AbraxX Sanding Block, 100 x 70 x 27 mm, P320	1400-0193-192P	250 pcs	
AX5500-808-10070270I	AbraxX Sanding Block, 100 x 70 x 27 mm, P500	1400-0193-199X	250 pcs	



## Abrasives Foam Pad | Sanding Blocks | 98 x 69 x 126 mm



Art. N°	Description	Control N°	Unit	EAN
AX5150-868-09869260I	AbraxX Handpad, 98 x 69 x 126 mm, P150	1400-0105-297I	250 pcs	


## Fleece | Pad



Art. N°	Description	Control N°	Unit	EAN
AX5320-812-115230-0	AbraxX Sanding Fleece Pad P320 (red), 150/230 mm	1400-0012-395A	12 pcs	
AX74000-812-115230-0	AbraxX Sanding Fleece Pad P4000 (white), 150/230 mm	1400-0012-391K	12 pcs	


## Accessories | Dispenser



Art. N°	Description	Control N°	Unit	EAN
AX-Disc-Dispenser	Dispenser for mini sanding disc rolls	1400-0070-793E	1 pcs	


## Fingerpad for sanding discs



Art. N°	Description	Control N°	Unit	EAN
AX-FP-030	Fingerpad for sanding discs size Ø 30 mm (Velcro/stick-on)	1400-0018-548X	1 pcs	


## Accessories | Sanding Liquid | 5 L




Art. N°	Description	Control N°	Unit	EAN
AX1750(5)	AbraxX Sanding Liquid, 5 L	1400-0054-595P	1 pcs	

## Accessories | Sanding Liquid | 500 ml



Art. N°	Description	Control N°	Unit	EAN
AX1750	AbraxX Sanding Liquid, 500 ml	1400-0008-797H	1 pcs	





# PrometheuS - Finish System

## **Visomax PrometheuS - the brand for outstanding and professional polishing processes**

Visomax owns a worldwide unique spectrum of experience, technical expertise and products regarding the processes in the professional sector of painted surfaces.

We as like as our customers benefit from a continuous development of our products and concepts, based on an intensive and global cooperation with well-known automobile manufacturers since 2003.

The requirement of our customers and our projects are the achievement of perfect results for high gloss painted surfaces within a short processing time at any time.

If necessary, we will realize an individual development of products for special uses requested by customer.

The VPS-Catalog is a wide overview of all our polishes and attachments as well as the suitable accessories for the optimal polishing process.

The VPS products are suitable for all kinds of professional polishing application where efficiency, cleanliness, speed and profitability are key factors.

### **There are various fields of application for the VPS series:**

- Automotive Industry
- TIER1/ TIER2 (e. g. plastic components)
- Ship Industry
- Furniture Industry and Carpenters
- Music Instrument Industry
- Manufacturing of high gloss interior for yachts and aircraft
- Aircraft Industry

Our VPS series offers unique economical and technical advantages during the application in comparison with alternative products available at the market.

In combination with our AbraxX VAX Abrasives series and the PrometoolZ VPZ Tool series they complete each other to an outstanding combination for faster and more stable polishing processes.

Our competent and friendly sales team along with our back office is looking forward to support you by choosing the right products and developing your process to the optimum.

Please get in contact with us for your perfect finish.

[www.visomax.de](http://www.visomax.de)




e-mail: [info@visomax.de](mailto:info@visomax.de)

phone: **+49 931 452814 0**






## FINISH<sup>3</sup> SYSTEM — READY SET GO —



Art. N°	Description	Control N°	Unit	EAN
PS935-050-4912-15	Foam pad green, soft, Ø 50/15 mm, open cells, conical	1600-0049-595M	16 pcs	
PS935-050-5112-15	Foam pad yellow, medium, Ø 50/15 mm, open cells, conical	1600-0044-632C	16 pcs	
PS935-050-5012-15	Foam pad red, hard, Ø 50/15 mm, open cells, conical	1600-0044-631D	16 pcs	






Art. N°	Description	Control N°	Unit	EAN
PS935-080-4912-25	Foam pad green, soft, Ø 80/25 mm, open cells, conical	1600-0015-110Q	2 pcs	
PS935-080-5112-25	Foam pad yellow, medium, Ø 80/25 mm, open cells, conical	1600-0015-116Q	2 pcs	
PS935-080-5012-25	Foam pad red, hard, Ø 80/25 mm, open cells, conical	1600-0015-115W	2 pcs	






## FINISH<sup>3</sup> SYSTEM

— READY SET GO —




Art. N°	Description	Control N°	Unit	EAN
PS970-125-4912-30	Foam pad green, soft, Ø 125/30 mm, open cells, conical, with middle hole	1600-0018-352N	2 pcs	
PS970-125-5112-30	Foam pad yellow, medium, Ø 125/30 mm, open cells, conical, with middle hole	1600-0018-355A	2 pcs	
PS970-125-5012-30	Foam pad red, hard, Ø 125/30 mm, open cells, conical, with middle hole	1600-0018-357H	2 pcs	



Art. N°	Description	Control N°	Unit	EAN
PS970-163-4912-30	Foam pad green, soft, Ø 163/30 mm, open cells, conical, with middle hole	1600-0027-355D	2 pcs	
PS970-163-5112-30	Foam pad yellow, medium, Ø 163/30 mm, open cells, conical, with middle hole	1600-0027-352A	2 pcs	
PS970-163-5012-30	Foam pad red, hard, Ø 163/30 mm, open cells, conical, with middle hole	1600-0027-351T	2 pcs	


Foams | Standard | Ø 27 mm | Raspberry - super soft



Art. N°	Description	Control N°	Unit	EAN
PS930-027-1212-20	Foam Pad raspberry, super soft, Ø 27/20 mm	1600-0015-112Z	8 pcs	


Foams | Standard | Ø 58 mm | Raspberry - super soft



Art. N°	Description	Control N°	Unit	EAN
PS930-058-1212-25	Foam Pad raspberry, super soft, Ø 58/25 mm, flat working surface	1600-0032-399N	10 pcs	


Foams | Standard | Ø 78 mm | Orange



Art. N°	Description	Control N°	Unit	EAN
PS930-73-F	Foam Pad orange, open cells, Ø 78/15 mm	1600-0035-631U	10 pcs	

Foams | Standard | Ø 80 mm | Raspberry - super soft




Art. N°	Description	Control N°	Unit	EAN
PS933-80	Foam Pad raspberry, super soft, Ø 80/25 mm	1600-0007-558Q	2 pcs	




## Foams | Standard | Ø 80 mm | Orange



Art. N°	Description	Control N°	Unit	EAN
PS930-80	Foam Pad orange, open cells, Ø 80 mm	1600-0007-198G	2 pcs	


## Foams | Standard | Ø 85 mm | Yellow




Art. N°	Description	Control N°	Unit	EAN
PS930-85-Gelb	Foam Pad yellow, Ø85 mm	1600-0007-197A	2 pcs	


## Foams | Standard | Ø 130 mm | Raspberry - super soft



Art. N°	Description	Control N°	Unit	EAN
PS933-130	Foam Pad raspberry, super soft, Ø 130/25 mm	1600-0017-272U	2 pcs	


## Foams | Standard | Ø 130 mm | Orange




Art. N°	Description	Control N°	Unit	EAN
PS930-130	Foam Pad orange, open cells, Ø 130/25 mm	1600-0016-914I	2 pcs	


Foams | Sandwich | Ø 50/15 mm | Orange



Art. N°	Description	Control N°	Unit	EAN
PS939-050-2412-15	Foam Pad orange, hard, open cells, Ø 50/15 mm	1600-0044-632A	16 pcs	


Foams | Special | Ø 130 mm | White



Art. N°	Description	Control N°	Unit	EAN
PS935-130-OV	Foam Pad white, Ø 130 mm	1600-0017-273Y	2 pcs	


Foams | Sandwich | Ø 55 mm | Anthracite/Grey



Art. N°	Description	Control N°	Unit	EAN
PS939-055-4412-25	Foam Pad anthracite/grey, open cells, Ø 55/25 mm	1600-0018-358X	10 pcs	

Foams | Sandwich | Ø 55 mm | Anthracite/Grey



Art. N°	Description	Control N°	Unit	EAN
PS939-076-4812-21	Polierschwamm yellow/orange, Ø76/21 mm	1600-0016-190Y	2 pcs	



## Foams | Sandwich | Ø 80 mm | Anthracite/Orange



Art. N°	Description	Control N°	Unit	EAN
PS939-80	Foam Pad anthracite/orange, Ø 80/25 mm	1600-0011-871D	2 pcs	

## Foams | Sandwich | Ø 130 mm | Anthracite/Orange



Art. N°	Description	Control N°	Unit	EAN
PS939-130	Foam Pad anthracite/orange, Ø 130/25 mm	1600-0024-111E	2 pcs	


## Foams | Turbine | Ø 80 mm | Orange



Art. N°	Description	Control N°	Unit	EAN
PS945-80-O	Foam Pad Turbine orange, open cells, Ø 80/25 mm	1600-0007-192P	2 pcs	


## Foams | Turbine | Ø 133 mm | Orange



Art. N°	Description	Control N°	Unit	EAN
PS945-133	Foam Pad Turbine orange, open cells, Ø 133/25 mm	1600-0016-919N	2 pcs	

## Foams | Turbine | Ø 133 mm | White



Art. N°	Description	Control N°	Unit	EAN
PS945-133-O	Foam Pad Turbine white, open cells, Ø 133/25 mm,	1600-0016-914J	2 pcs	


## Foams | Waffle | Ø 75 mm | Orange



Art. N°	Description	Control N°	Unit	EAN
PS944-075-112-25	Foam Pad Waffle orange, open cells, Ø 80/25 mm	1600-009-711L	2 pcs	


## Foams | Waffle | Ø 80 mm | Grey/Anthracite



Art. N°	Description	Control N°	Unit	EAN
PS946-080-4412-28	Foam Pad Waffle, grey/anthracite, Ø 80/28 mm	1600-0015-115L	2 pcs	

## Foams | Waffle | Ø 80 mm | Orange




Art. N°	Description	Control N°	Unit	EAN
PS944-080-2412-25-6	Foam Pad Waffle orange, hard, open cells, Ø 80/25 mm	1600-0012-237A	2 pcs	



## Foams | Waffle | Ø 130 mm | Grey/Anthracite



Art. N°	Description	Control N°	Unit	EAN
PS946-130-4412-28	Foam Pad Waffle, anthracite/ grey, Ø 130/28 mm	1600-0022-675X	2 pcs	

## Foams | Waffle | Ø 130 mm | Orange



Art. N°	Description	Control N°	Unit	EAN
PS944-130-2612-25-6	Foam Pad Waffle orange, flat working surface, Ø 130/25 mm	1600-0023-754D	2 pcs	


## Foams | Waffle | Ø 135 mm | Orange



Art. N°	Description	Control N°	Unit	EAN
PS944-135-112	Foam Pad Waffle orange, open cells, Ø 135/25 mm	1600-0018-356K	2 pcs	

## Foams | Waffle | Ø 180 mm | Grey/Anthracite




Art. N°	Description	Control N°	Unit	EAN
PS946-180-4412-28	Foam Pad Waffle, grey/ anthracite, Ø 180/28 mm	1600-0027-353B	2 pcs	




## Lamb's Wool | Natural/Bonded Skin | Ø 26/20 mm



Art. N°	Description	Control N°	Unit	EAN
PS920-26-20-12030	Lamb's Wool Ø 26/20 mm, natural/bonded skin	1600-0005-396A	1 pcs	


## Lamb's Wool | Natural/Bonded Skin | Ø 55/20 mm



Art. N°	Description	Control N°	Unit	EAN
PS920-55-20-12030	Lamb's Wool Ø 55/20 mm, natural/bonded skin	1600-0097-914Z	16 pcs	


## Lamb's Wool | Natural/Stitched Skin | Ø 80/16 mm




Art. N°	Description	Control N°	Unit	EAN
PS920-80-16-11010	Lamb's Wool Ø 80/16 mm, natural/stitched skin	1600-0012-594U	2 pcs	

## Lamb's Wool | Natural/Stitched Skin | Ø 80/19 mm




Art. N°	Description	Control N°	Unit	EAN
PS920-80-19-11051	Lamb's Wool Ø 80/19 mm, natural/stitched skin	1600-0013-313A	2 pcs	

## Lamb's Wool | Natural/Stitched Skin | Ø 133/16 mm

Art. N°	Description	Control N°	Unit	EAN
PS920-133-16-11030	Lamb's Wool Ø 133/16 mm, natural/stitched skin	1600-0025-553Q	2 pcs	




## Lamb's Wool | Natural/Stitched Skin | Ø 133/22 mm

Art. N°	Description	Control N°	Unit	EAN
PS920-133-22-11030	Lamb's Wool Ø 133/22 mm, natural/stitched skin	1600-0028-430I	2 pcs	




## Lamb's Wool | Natural/Stitched Skin | Ø 135/16 mm | Velour with spiral form

Art. N°	Description	Control N°	Unit	EAN
PS920-135-16-11357	Lamb's Wool Ø 135/16 mm, natural/stitched skin, velour with spiral form	1600-0027-711S	2 pcs	



## Lamb's Wool | Natural/Stitched Skin | Ø 135/19 mm


Art. N°	Description	Control N°	Unit	EAN
PS920-135-19-11050	Lamb's Wool Ø 135/19 mm, natural/stitched skin	1600-0025-919Q	2 pcs	






## Lamb's Wool | Natural/Stitched Skin | Ø 195/22 mm



Art. N°	Description	Control N°	Unit	EAN
PS920-195-22-11010	Lamb's Wool Ø 195/22 mm, natural/stitched skin	1600-0042-472U	2 pcs	


## Lamb's Wool | Wool Velour Pad | Ø 76/5 mm



Art. N°	Description	Control N°	Unit	EAN
PS920-76-05-12064	Wool Velour Pad Ø 76/5 mm	1600-0025-193D	10 pcs	


## Microfibre | Microfibre Pads | Cooling Pad | Ø 58/10 mm




Art. N°	Description	Control N°	Unit	EAN
PS920-58-10-32170-C	Wool and Microfibre Cooling Pad Ø 58/10 mm, natural/punched	1600-0012-598E	5 pcs	

## Microfibre | Microfibre Pads | Cooling Pad | Ø 80/10 mm




Art. N°	Description	Control N°	Unit	EAN
PS920-80-10-32170-C	Wool and Microfibre Cooling Pad Ø 80/10 mm, natural/punched	1600-0033-479Q	10 pcs	

## Microfibre | Microfibre Pads | Ø 133 mm

Art. N°	Description	Control N°	Unit	EAN
PS980-133-Y	Microfibre Polish Pad, Ø 133/14 mm, white	1600-0012-237G	1 pcs	



## Microfibre | Microfibre Pads | Ø 195 mm






Art. N°	Description	Control N°	Unit	EAN
PS980-195	Microfibre Polish Pad Ø 195 mm, white	1600-0017-993E	1 pcs	






## Microfibre | Microfibre Cloths



Art. N°	Description	Control N°	Unit	EAN
PS140	Microfibre Cloths PrometheuS blue, 40 x 40 cm, 418 g/m <sup>2</sup>	1600-0031-273O	5 pcs	
PS140-R	Microfibre Cloths PrometheuS Special blue, 40 x 40 cm, 330 g/m <sup>2</sup> , with wooven edge	1600-0031-273T	5 pcs	
PS141	Microfibre Cloths PrometheuS blue, 40 x 40 cm, 330 g/m <sup>2</sup>	1600-0031-274M	5 pcs	
PS150-R	Microfibre Cloths PrometheuS red, 40 x 40 cm, with wooven edge	1600-0031-271Z	5 pcs	
PS160-R	Microfibre Cloths PrometheuS Special yellow, 40 x 40 m, 418 g/m <sup>2</sup> , with wooven edge	1600-0031-271D	5 pcs	





## Finish Control Spray | PS1500



Art. N°	Description	Control N°	Unit	EAN
PS1500	Finish Control Spray, 500 ml	1600-0012-7926T	1 pcs	





## Polishes | Heavy Cut | PS204XC+ | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS204XC+	Polish Heavy Cut, 500 ml	1600-0022-797T	1 pcs	
PS204XC+(5)	Polish Heavy Cut, 5 L	1600-0191-196W	1 pcs	
Aggressivität / Cut 10 / 10				
Glanz / Gloss 3 / 10				

## Polishes | Heavy Cut | PS205XC | 500 ml







Art. N°	Description	Control N°	Unit	EAN
PS205XC	Polish Heavy Cut, 500 ml	1600-0026-794H	1 pcs	
PS205XC(5)	Polish Heavy Cut, 5 L	1600-0222-395Z	1 pcs	
Aggressivität / Cut 10 / 10				
Glanz / Gloss 6 / 10				







## Polishes | Medium | PS200C | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS200C	Polish Heavy Cut P2000, 500 ml	1600-0019-198Y	1 pcs	
PS200C(5)	Polish Heavy Cut P2000, 5 L	1600-0152-393H	1 pcs	
Aggressivität / Cut 6 / 10				
Glanz / Gloss 6 / 10				





## Polishes | Medium | PS208C | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS208C	Polish Medium Cut, 500 ml	1600-0018-793J	1 pcs	
PS208C(5)	Polish Medium Cut, 5 L	1600-0157-194A	1 pcs	
Aggressivität / Cut 5 / 10				
Glanz / Gloss 7 / 10				





## Polishes | Medium | PS209 | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS209	Polish Medium Cut, 500 ml	1600-0020-397B	1 pcs	
PS209(5)	Polish Medium Cut, 5 L	1600-0161-993G	1 pcs	
Aggressivität / Cut 5 / 10				
Glanz / Gloss 8 / 10				

## Polishes | Medium | PS209C | 500 ml







Art. N°	Description	Control N°	Unit	EAN
PS209C	Polish Medium Cut, green, 500 ml	1600-0022-797S	1 pcs	
PS209C(5)	Polish Medium Cut, green, 5 L	1600-0174-395M	1 pcs	
Aggressivität / Cut 8 / 10				
Glanz / Gloss 9 / 10				







## Polishes | Medium | PS250CM | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS250CM	Polish Medium Cut, grey, 500 ml	1600-0021-997E	1 pcs	
PS250CM(5)	Polish Medium Cut, grey, 5 L	1600-0173-9910J	1 pcs	
Aggressivität / Cut 4 / 10 				
Glanz / Gloss 8 / 10 				





## Polishes | High Gloss | PS250 | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS250	Polish Special Anti-Hologramm, 500 ml	1600-0019-994U	1 pcs	
PS250(5)	Polish Special Anti-Hologramm, 5 L	1600-0176-390W	1 pcs	
Aggressivität / Cut 2 / 10 				
Glanz / Gloss 10 / 10 				





## Polishes | High Gloss | PS250C | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS250C	Polish Special Fine Cut, High Gloss, grey, 500 ml	1600-0022-797S	1 pcs	
PS250C(5)	Polish Special Fine Cut, High Gloss, grey, 5 L	1600-0173-794B	1 pcs	
Aggressivität / Cut 3 / 10 				
Glanz / Gloss 10 / 10 				

## Polishes | High Gloss | PS250Ci | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS250Ci	Polish Fine Cut, High Gloss, 500 ml	1600-0022-798M	1 pcs	
PS250Ci(5)	Polish Fine Cut, High Gloss, 5 L	1600-0188-390Y	1 pcs	
Aggressivität / Cut 4 / 10 				
Glanz / Gloss 10 / 10 				





## Polishes | High Gloss | PS250i | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS250i	Polish Special Fine Cut, High Gloss, 500 ml	1600-0022-397Q	1 pcs	
PS250i(5)	Polish Special Fine Cut, High Gloss, 5 L	1600-0188-391X	1 pcs	
Aggressivität / Cut 5 / 10 				
Glanz / Gloss 10 / 10 				

## Polishes | High Gloss | PS250MB | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS250MB	Polish Fine Cut, High Gloss, 500 ml	1600-0020-798L	1 pcs	
PS250MB(5)	Polish Fine Cut, High Gloss, 5 L	1600-0188-3910U	1 pcs	
Aggressivität / Cut 5 / 10 				
Glanz / Gloss 9 / 10 				





## Polishes | High Gloss | PS250Ni | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS250Ni	Polish Fine Cut, High Gloss, 500 ml	1600-0023-195A	1 pcs	
PS250Ni(5)	Polish Fine Cut, High Gloss, 5 L	1600-0190-796P	1 pcs	
Aggressivität / Cut 5 / 10 				
Glanz / Gloss 10 / 10 				

## Polishes | High Gloss | PS250RE | 500 ml





Art. N°	Description	Control N°	Unit	EAN
PS250RE	Polish Fine Cut, High Gloss, 500 ml	1600-0025-595N	1 pcs	
PS250RE(5)	Polish Fine Cut, High Gloss, 5 L	1600-0200-397O	1 pcs	
Aggressivität / Cut 5 / 10 				
Glanz / Gloss 10 / 10 				



## Sealant | PS1250 | 500 ml





Art. N°	Description	Control N°	Unit	EAN
PS1250	One Step Highspeed Gloss, 500 ml	1600-0026-796B	1 pcs	
PS1250(5)	One Step Highspeed Gloss, 5 L	1600-0159-195J	1 pcs	

Glanz / Gloss 9 / 10



## Sealant | PS430 | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS430	Paint Sealant, 500 ml	1600-0017-198H	1 pcs	
PS430(5)	Paint Sealant, 5 L	1600-0120-795Y	1 pcs	

Glanz / Gloss 10 / 10



## Sealant | PS450 | 500 ml



Art. N°	Description	Control N°	Unit	EAN
PS450	Long Life Paint Sealant, Synthetic Polymer, 500 ml	1600-0064-396E	1 pcs	



Glanz / Gloss 10 / 10






## Marking | Paint Marker



Art. N°	Description	Control N°	Unit	EAN
PS108-4095-NO	Paint Marker for coats, neon orange	1600-0004-541M	1 pcs	
PS108-4095-NO-50	Paint Marker for coats, neon orange	1600-0203-386R	50 pcs	


## Marking | Dry Marker | Black



Art. N°	Description	Control N°	Unit	EAN
PS108-9	Dry Marker, black	1600-0002-393X	1 pcs	


## Marking | Dry Marker | White



Art. N°	Description	Control N°	Unit	EAN
PS108-0	Dry Marker, white	1600-0002-391A	1 pcs	


## Interface Pads | Ø 75 mm | Velcro



Art. N°	Description	Control N°	Unit	EAN
PS820-75-24110-400	Interface Pad Ø 75/7 mm, velcro	1600-0005-993T	1 pcs	


## Interface Pads | Ø 75 mm | Micro Velcro



Art. N°	Description	Control N°	Unit	EAN
PS820-75-25110-400	Interface Pad Ø 75/7 mm, hard, micro velcro	1600-0005-994J	1 pcs	


## Interface Pads | Ø 147 mm | Soft | Micro Velcro



Art. N°	Description	Control N°	Unit	EAN
PS820-147-25105-121	Interface Pad Ø 147/5 mm, soft, 21 holes, micro velcro	1600-0023-597E	2 pcs	

## Interface Pads | Ø 150 mm | Hard | Micro Velcro




Art. N°	Description	Control N°	Unit	EAN
PS820-150-7-H	Interface Pad Ø 150/5 mm, hard, 7 holes, micro velcro	1600-0011-996X	1 pcs	




## Backup Pad for Polishing Tools | Ø 73 mm | M14 Thread | Soft



Art. N°	Description	Control N°	Unit	EAN
PS830-73	Backup Pad Ø 73 mm (2.87"), M14 thread, soft	1600-0017-591H	1 pcs	

## Backup Pad for Polishing Tools | Ø 123 mm | M14 Thread | Medium



Art. N°	Description	Control N°	Unit	EAN
PS830-123-VM	Backup Pad Ø 123 mm (4.84"), M14 thread, medium	1600-0028-793Q	1 pcs	


## Backup Pad for Polishing Tools | Ø 123 mm | M14 Thread | Soft



Art. N°	Description	Control N°	Unit	EAN
PS830-123	Backup Pad Ø 123 mm (4.84"), M14 thread, soft	1600-0028-794B	1 pcs	

## Backup Pad for Polishing Tools | Ø 177 mm | M14 Thread | Soft




Art. N°	Description	Control N°	Unit	EAN
PS830-177	Backup Pad Ø 177 mm (6.96"), M14 thread, soft	1600-0033-594A	1 pcs	



## Pad Washer



Art. N°	Description	Control N°	Unit	EAN
PS-PWF2011	Pad Washer for foam pads of the size Ø 80 mm (use only with orbital tools)	1600-0167-07P	1 pcs	


## Pad Washer | Accessories



Art. N°	Description	Control N°	Unit	EAN
PS-PWRS-130	Cleaning Foam Pad Ø 130 mm for Pad Washer PS-PWF2011	1600-0003-598F	1 pcs	


## Accessories | Container | Adapter



Art. N°	Description	Control N°	Unit	EAN
PS-AdDiKa-2	Adapter for 5 L container	1900-0017-104E	1 pcs	


## Accessories | Container | Dispenser



Art. N°	Description	Control N°	Unit	EAN
PS-PoDiKa-1	Dispenser for 5 L container	1600-0018-443B	1 pcs	

## Accessories | Container | Hand Pump



Art. N°	Description	Control N°	Unit	EAN
PS1013	Hand Pump black for 5 L container	1600-0005-127M	1 pcs	





## Accessories | Container | Wall Mount (Metal)



Art. N°	Description	Control N°	Unit	EAN
PS-WAHAKA-1	Wall mount for 5 L container (metal)	1600-0045-103C	1 pcs	

## Pad Pad Dispenser



Art. N°	Description	Control N°	Unit	EAN
PS-Pad-Dispenser-50	Foam Pad Support for pads size Ø 50 mm	1600-0039-207B	1 pcs	
PS-Pad-Dispenser-80	Foam Pad Support for pads size Ø 80 mm	1600-0063-206S	1 pcs	
PS-Pad-Dispenser-125	Foam Pad Support for pads size Ø125 mm	1600-0095-201N	1 pcs	
PS-Pad-Dispenser-150	Foam Pad Support for pads size Ø150 mm	1600-0111-205N	1 pcs	







# PrometoolZ - Professional Tools

## **Visomax PrometoolZ - the brand for the professional application**

Visomax owns a worldwide unique spectrum of experience, technical expertise and products regarding the processes in the professional sector of painted surfaces.

We as like as our customers benefit from a continuous development of our products and concepts, based on an intensive and global cooperation with well-known automobile manufacturers since 2003.

The requirement of our customers and our projects are the achievement of perfect results for high gloss painted surfaces within a short processing time at any time.

To be able to realize treatment concepts, it is necessary to have perfect fitting and compatible components.

The PrometoolZ Tool series is applicable for the professional use where efficiency, cleanliness, speed and profitability are key factors.

The PrometoolZ VPZ-Catalog is a wide overview for all battery tools, electric tools, pneumatic tools and the corresponding accessories for the efficient preparation works for painting and the optimal finish process.

## **There are various fields of application for the VPZ Tools series:**

- Automotive Industry
- TIER1/ TIER2 (e. g. plastic components)
- Ship Industry
- Furniture Industry and Carpenters
- Music Instrument Industry
- Manufacturing of high gloss interior for yachts and aircraft
- Aircraft Industry

The technical characteristics of the VPZ series meet the standards required by the industry with respect to oscillating values, air and energy consumption combining the possibility to work nearly silently.

Since several years our tool series is in use in 3-shift operation at the production of automotive producers as well as at companies of TIER1 and TIER2 (producers of bumpers, etc.) in Europe and Asia. There, our tools demonstrate with high quality and reliability.

In combination with our PrometeuS VPS Polishing series and the AbraxX VAX Abrasives series they complete each other to an outstanding combination for faster and more stable processes.

Our competent and friendly sales team along with our back office is looking forward to support you by choosing the right products and developing your process to the optimum.

Please get in contact with us for your perfect finish.

[www.visomax.de](http://www.visomax.de)

e-mail: [info@visomax.de](mailto:info@visomax.de)

phone: **+49 931 452814 0**



## Tools | Battery | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ860-A-30-NV-8	Sandinator Cordless Series, 3 mm offset, oscillating (ESV03)	1700-0559-208M	1 pcs	

Scope of delivery:

- 1x Box with Inlay
- 1x Cordless Nib Sander
- 2x Li-Ion rechargeable battery (Art. N° PZ01000532)
- 1x Charging station (Art. N° PZ01000593)
- 1x Backup pad yellow, medium, velcro, Ø 30 mm (Art. N° PZ030-532-174)
- Backup pad medium stick-on 30 mm (Art. Nr.: PZ030-532-172)

Description of the Product:

Sandinator Cordless Series, continuously, oscillating (ESV03)


### Technical Details

Length	170 mm
Depth/Width	105 mm
Height	45 mm
Weight	535 g incl. backup pad and battery
Backup pad size	30 mm
Drive	continuously adjustable, oscillating
Offset	3 mm
Sound Pressure Level	55 dB(A)





## Tools | Battery | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ860-AE-30-NV-8	Sandinator Cordless Series, 3 mm offset, orbital (ESX03)	1700-0559-204Z	1 pcs	

### Scope of delivery:

1x Box with Inlay  
 1x Cordless Nib Sander  
 2x Li-Ion rechargeable battery (Art. N° PZ01000532)  
 1x Charging station (Art. N° PZ01000593)  
 1x Backup pad yellow, medium, velcro, Ø 30 mm (Art. N° PZ030-532-174)  
 Backup pad medium stick-on 30 mm (Art. Nr.: PZ030-532-172)

### Description of the Product:

Sandinator Cordless Series, continuously, orbital (ESX03)

### Technical Details

Length	170 mm
Depth/Width	105 mm
Height	45 mm
Weight	555 g incl. backup pad and battery
Backup pad size	30 mm
Drive	continuously adjustable, orbital 3 mm
Offset	3 mm
Sound Pressure Level	55 dB(A)



## Tools | Battery | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ860-AE-50-NV-8	Sandinator Cordless Series, 5 mm offset, orbital (ESX05)	1700-0559-208C	1 pcs	

Scope of delivery:

- 1x Box with Inlay
- 1x Cordless Nib Sander
- 2x Li-Ion rechargeable battery (Art. N° PZ01000532)
- 1x Charging station (Art. N° PZ01000593)
- 1x Backup pad yellow, medium, velcro, Ø 30 mm (Art. N° PZ030-532-174)
- 1x Backup pad yellow, medium, stick-on, Ø 30 mm (Ar

Description of the Product:

Sandinator Cordless Series, continuously, orbital (ESX05)

### Technical Details


Length	170 mm
Depth/Width	105 mm
Height	45 mm
Weight	565 g incl. backup pad and battery
Backup pad size	30 mm
Drive	continuously- orbital
Offset	5 mm
Sound Pressure Level	55 dB(A)





## Accessories Tools | Cordless Series | Battery




Art. N°	Description	Control N°	Unit	EAN
PZ01000532	Li-Ion Rechargeable Battery 7.4 V/2600 mAh	1700-0059-490W	1 pcs	

Product description: Li-Ion Rechargeable Battery 7.4 V/2600 mAh for Cordless Nib Sander ESV03 & ESX05

## Accessories Tools | Cordless Series | Power supply



Art. N°	Description	Control N°	Unit	EAN
PZ01000593	Charging Station incl. power supply for Cordless Nib Sander	1700-0044-196N	1 pcs	

Product description: Power supply and charging station for Cordless Nib Sander ESV03 & ESX05

## Accessories Tools | Battery | Sander




Art. N°	Description	Control N°	Unit	EAN
PZ01000748	Power supply 8.4 V, EU plug	1700-0016-793B	1 pcs	

Product description: Power supply for Cordless Nib Sander ESV03, ESX03 & ESX05



## Tools | Electric | Polisher | Polinator

Art. N°	Description	Control N°	Unit	EAN
PZ600-I-00-NV-10	Polinator, electric polisher, rotary (EPRO0)	1700-0319-203L	1 pcs	

Scope of delivery:

- Tool
- Backup-Pad Ø123 mm (4,84") (Art. N°: PS830-123)
- Side handle (Art. N°: PZ01000700)
- Open-end wrench (Art. N°: PZ01000772)
- Replacement carbons (Art. N°: PZ01000395)

Description of the Product:


Powerful rotary electric polisher with soft start.

### Technical Details

Length	500 mm
Depth/Width	80 mm
Height	140 mm
Weight	2740 g
Backup pad size	123 mm (4,84")
Drive	continuously adjustable, rotary
Max. power consumption	1100 W
Output voltage	220 - 240 V/AC
Max. Speed	1. 700 rpm 2. 1200 rpm 3. 1700 rpm 4. 2200 rpm 5. 2700 rpm 6. 3200 rpm




## Backup Pad for Polishing Tools | Ø 123 mm | M14 Thread | Soft

Art. N°	Description	Control N°	Unit	EAN
PS830-123	Backup Pad Ø 123 mm (4.84"), M14 thread, soft	1600-0028-794B	1 pcs	



## Tools | Electric | Polisher | Polinator

Art. N°	Description	Control N°	Unit	EAN
PZ600-I-150-NV-10	Polinator 15.0 mm offset, electric polisher, orbital	1700-0319-202B	1 pcs	

Scope of delivery: Tool  
Backup-Pad Ø125 mm (Art. N°: PZ125-362-13)  
Allen key (Art. N°: PZ01000560)  
Replacement carbons (Art. N°: PZ01000395)


Description of the Product: High-performance electric polisher with 15 mm offset.

### Technical Details

Length	500 mm
Depth/Width	80 mm
Height	140 mm
Weight	2740 g
Backup pad size	123 mm (4,84")
Drive	continuously adjustable, rotary
Max. power consumption	1100 W
Output voltage	220 - 240 V/AC
Max. Speed	1. 700 rpm 2. 1200 rpm 3. 1700 rpm 4. 2200 rpm 5. 2700 rpm 6. 3200 rpm



## Accessories Tools | Backup Pads | Ø 125 mm | Velcro

Art. N°	Description	Control N°	Unit	EAN
PZ125-362-13	Backup Pad Ø 125 mm (5"), medium, 9 holes	1700-0023-998A	1 pcs	

Product description: Backup Pad Ø 125 mm (5"), with 9 holes, suitable for Polinator 15 mm offset (Art. N° PZ600-I-150-NV-10)





## Tools | Electric | Polisher | Polinator


Art. N°	Description	Control N°	Unit	EAN
PZ600-K-210-NV-10	Polinator 21.0 mm offset, electric polisher, orbital	1700-0319-208L	1 pcs	


Scope of delivery: Tool  
Backup pad Ø 147 mm (Art. N° PZ147-1262-13)

Description of the Product: High-performance electric polisher, orbital, with 21 mm offset.

### Technical Details

Length	500 mm
Depth/Width	80 mm
Height	140 mm
Weight	3000 g
Backup pad size	147 mm (5,78")
Drive	continuously adjustable, orbital
Offset	21 mm
Max. power consumption	900 W
Output voltage	220 - 240 V/AC
Max. Speed	1. 2500 rpm 2. 2900 rpm 3. 3300 rpm 4. 3700 rpm 5. 4100 rpm 6. 4500 rpm




Art. N°	Description	Control N°	Unit	EAN
PZ147-1262-13	Backup Pad Ø 147 mm, 16 holes	1700-0023-998C	1 pcs	

Product description: Backup Pad Ø 147 mm, with 16 holes, suitable for Polinator 21 mm offset (Art. N° PZ600-K-210-NV-10)



## Tools | Electric | Polisher | Orbital

Art. N°	Description	Control N°	Unit	EAN
PZ600-E-140-NV-8-S	Two-handed Electric Polisher, orbital, 14.0 mm offset, kit for the aftermarket	1700-0756-005T	1 pcs	

Scope of delivery:

- Tool
- Handle
- Backup pad
- Wrench for backup pad installation
- Power supply (Art. N° PZ003P)
- Cold-device plug
- Cable 5 m

Description of the Product:


Electric Polisher, orbital Especially developed for spot repairs at the aftermarket Not suitable for the use in an industrial environment!

### Technical Details

Length	235 mm
Depth/Width	80 mm
Height	100 mm
Weight	900 g
Angle	90°
Drive	continuously
Offset	14 mm
Max. power consumption	300 W
Length Power supply	220 mm
Width power supply	110 mm
Height power supply	45 mm
Output voltage	100 - 230 V/AC
Output voltage power supply	24 V/AC
Weight power supply	1618 g
Max. Speed	0 - 9600 rpm



## Tools | Electric | Polisher | Rotary

Art. N°	Description	Control N°	Unit	EAN
PZ600-E-00-NV-8-S	Electric polisher rotary, kit for the aftermarket	1700-0756-008D	1 pcs	

Scope of delivery:

- Tool
- Backup pad
- Pin Punches for backup pad installation
- Handle
- Power supply (Art. N° PZ003P)
- Cold-device plug
- Cable 5 m

### Description of the Product:

Electric polisher, rotary Especially developed for spot repairs at the aftermarket Not suitable for the use in an industrial environment!


### Technical Details

Length Tool	235 mm
Depth/Width Tool	80 mm
Height Tool	100 mm
Weight	900 g
Angle	90°
Drive	continuously adjustable, rotary
Max. power consumption	300 W
Max. Speed	9600 rpm
Length Power supply	260 mm
Width power supply	110 mm
Height power supply	50 mm
Output voltage	100 - 230 V/AC
Output voltage power supply	24 V/DC
Weight power supply	2315 g
Max. Speed	0 - 9600 rpm





## Tools | Electric | Polisher OEM | Orbital

Art. N°	Description	Control N°	Unit	EAN
PZ600-E-140-NV-8-I	Two-handed Electric Polisher, orbital, 14.0 mm offset, for industrial use/OEM	1700-1000-003U	1 pcs	

Scope of delivery:

- Tool
- Anti-oscillating handle (Art. N° PZ02000066)
- Retaining ring
- Heat protection cover
- Slip ring 360° degrees
- Backup pad
- Wrench for backup pad installation

Description of the Product:


Electric Polisher, orbital Especially developed for the industrial environment in the OEM sector.

### Technical Details

Length	252 mm
Depth/Width	80 mm
Height	100 mm
Weight	980 g
Angle	90°
Drive	continuously adjustable, orbital
Offset	14 mm
Max. power consumption	300 W
Output voltage	100 - 230 V/AC
Max. Speed	0 - 9600 rpm



## Tools | Electric | Polisher OEM | Rotary

Art. N°	Description	Control N°	Unit	EAN
PZ600-E-00-NV-8-I	Two-handed Electric Polisher, rotary, for industrial use/OEM	1700-1000-004B	1 pcs	

Scope of delivery:

- Tool
- Anti-vibration handle (Art. N° PZ02000066)
- Retaining ring (Art. N°: PZ02000049)
- Heat protection cover (Art. N°: PZ02000038)
- Backup-Pad (Art. N°: PZ073-532-4)
- Slip ring 360° degrees (360°) (Art. N°: PZ02000062)
- Wrench for backup pad installation (Art. N° : PZ01000172)

Description of the Product:

Electric Polisher rotary with Standard handle (with ramp)  
Industry/OEM


### Technical Details

Length Tool	440 mm
Depth/Width Tool	120 mm
Height Tool	130 mm
Weight	980 g
Backup pad size	75 mm
Drive	continuously adjustable, rotary
Sound Pressure Level	70 dB(A)
Max. power consumption	1.000 W
Max. Speed	0 - 9600 rpm





Tools | Electric | Polisher | RotaryTools | Electric | Polisher OEM | Rotary

Art. N°	Description	Control N°	Unit	EAN
PZ600-EG-00-NV-8-I	Two-handed Electric Polisher, rotary, with accelerator, for industrial use/OEM	1700-1000-004B	1 pcs	

Scope of delivery:

- Tool with continuously adjustable speed control (throttle lever)
- Anti-vibration handle (Art. N° PZ02000066)
- Retaining ring (Art. N°: PZ02000049)
- Heat protection cover (Art. N°: PZ02000038)
- Backup-Pad (Art. N°: PZ073-532-4)
- Slip ring 360° degrees (360°) (Art. N°: PZ02000062)
- Pin Punches for backup pad installation (Art. N°: PZ02000080.)


Description of the Product: Two-handed Electric Polisher rotary. Specially developed for line use in the OEM area.

## Technical Details

Length Tool	252 mm
Depth/Width Tool	80 mm
Height Tool	100 mm
Weight	980 g
Backup pad size	75 mm
Angle	90°
Drive	continuously adjustable, rotary
Sound Pressure Level	70 dB(A)
Max. power consumption	1.000 W
Max. Speed	0 - 9600 rpm
Operating voltage	24 V/DC



## Tools | Electric | Polisher | Orbital OEM

Art. N°	Description	Control N°	Unit	EAN
PZ600-ED-140-NV-8-I	Two-hand electric polisher, orbital, 14 mm offset, dual speed	1700-1080-009L	1 pcs	

Scope of delivery:

- Two-handed Electric Polisher orbital
- Anti-vibration handle (Art. N° PZ02000066)
- Retaining ring (Art. N°: PZ02000049)
- Heat protection cover (Art. N°: PZ02000038)
- Backup-Pad (Art. N°: PZ073-532-4)
- Slip ring 360° degrees (360°) (Art. N°: PZ02000062)

Description of the Product:

Two-handed Electric Polisher, orbital with Dual Speed


### Technical Details

Length Tool	252 mm
Backup pad size	75 mm
Drive	continuously adjustable, orbital
Offset	14 mm
Sound Pressure Level	70 dB(A)
Max. power consumption	360 W
Max. Speed	0 - 9600 rpm
Output voltage	24 V/DC





## Tools | Electric | Sander | Aftermarket

Art. N°	Description	Control N°	Unit	EAN
PZ850-A-30-NV-8-S	Sandinator Corded Series, 3 mm orbit, set for the aftermarket	1700-0617-406U	1 pcs	

Scope of delivery:

- Tool
- Power supply (Art.Nr.: PZ003BS)
- Ø 30 mm Backup pad medium, velcro (Art. Nr.: PZ030-532-174)
- Ø 30 mm Backup pad medium, stick-on (Art. Nr.: PZ030-532-172)
- Connecting cable standard 5 m (Art. Nr.: PZ006-5S)

Description of the Product:


Sandinator Corded Series, continuously adjustable, oscillating Sandinator Corded Series, continuously adjustable, oscillating

### Technical Details

Length	180 mm
Depth/Width	105 mm
Height	45 mm
Weight	415 g
Backup pad size	30 mm
Offset	3 mm
Sound Pressure Level	55 dB(A)
Max. Speed	117 mm U/min
Length power supply	65 mm
Width power supply	40 mm
Height power supply	24 V/DC



## Tools | Electric | Sander | Aftermarket

Art. N°	Description	Control N°	Unit	EAN
PZ850-AE-30-NV-8-S	Sandinator Corded Series, 3 mm orbit, set for the aftermarket	1700-0617-408P	1 pcs	

Scope of delivery:

- Tool
- Power supply (Art.Nr.: PZ003BS)
- Ø 30 mm Backup pad medium, velcro (Art. Nr.: PZ030-532-174)
- Ø 30 mm Backup pad medium, stick-on (Art. Nr.: PZ030-532-172)
- Connecting cable standard 5 m (Art. Nr.: PZ006-5S)

Description of the Product:

Sandinator Corded Series, continuously adjustable, orbital


### Technical Details

Length	180 mm
Depth/Width	105 mm
Height	45 mm
Weight	405 g
Backup pad size	30 mm
Drive	continuously adjustable, orbital
Offset	3 mm
Sound Pressure Level	55 dB(A)
Max. Speed	117 mm U/min
Length power supply	65 mm
Width power supply	40 mm
Height power supply	24 V/DC





## Tools | Electric | Sander | Aftermarket

Art. N°	Description	Control N°	Unit	EAN
PZ850-AE-50-NV-8-S	Sandinator Corded Series, 5 mm orbit, set for the aftermarket	1700-0617-404D	1 pcs	

Scope of delivery:

- Tool
- Power supply (Art. N°: PZ003BS)
- Ø 30 mm Backup-Pad medium, velcro (Art. N°: PZ030-532-174)
- Ø 30 mm Backup-Pad medium, stick-on (Art. N°: PZ030-532-172)
- Cable 5 m standard 5 m (Art. N°: PZ006-5S)

Description of the Product:


Sandinator Corded Series, continuously adjustable, orbital

### Technical Details

Length	180 mm
Depth/Width	105 mm
Height	45 mm
Weight	415 g
Backup pad size	30 mm
Drive	continously adjustable, orbital
Offset	5 mm
Sound Pressure Level	55 dB(A)
Max. Speed	117 mm U/min
Length power supply	65 mm
Width power supply	40 mm
Height power supply	24 V/DC



## Tools | Electric | Sander | OEM

Art. N°	Description	Control N°	Unit	EAN
PZ850-A-15-NV-8-I	Electric Polisher oscillating, 3.0 mm offset, for industrial use	1700-0960-008H	1 pcs	

Scope of delivery: Tool  
Cooling ribs with Retaining ring (Art. N°: PZ02000058)  
Slip ring 360° degrees (Art. N°: PZ02000062)

Description of the Product: Electric Nib Sander oscillating Especially developed for the industrial environment in the OEM sector.


### Technical Details

Length	220 mm
Weight	540 g
Angle	90°
Drive	continuously adjustable, oscillating
Offset	3 mm
Height power supply	24 V/DC





## Tools | Electric | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ800-E-25-CV-11	Sandinator, electric sander orbital 3", 2,5 mm offset, central vacuum	1700-0419-168U	1 pcs	

Scope of delivery:

- Tool
- Aspiration (Art. N°: PZ01000395)
- Backup Pad (Art. N°: PZ070-1032-14)
- Wrench for Backup Pad Mounting (Art. N°: PZ01000793)
- Clips for cable fixing (Art. N°: PZ01001051)

Description of the Product:


Electric sander orbital 3"

### Technical Details

Length	211 mm
Height	100 mm
Mains Connection	100 - 240 V/AC, 50 - 60 Hz
Drive	orbital
Offset	2,5 mm
Sound Pressure Level	61,9 dB(A)
Max. power consumption	150 W
Max. Speed	Level 1: 4.000 rpm Level 2: 7.000 rpm Level 3: 9.000 rpm Level 4: 10.000 rpm



## Tools | Electric | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ800-K-25-CV-11	Sandinator, electric sander orbital 6", 2,5 mm offset, central vacuum	1700-0440-168W	1 pcs	

Scope of delivery:

- Tool
- Backup-Pad (Art. N°: PZ147-732-14)
- Suction (Art. N°: PZ01000395)
- Wrench for backup pad installation (Art. N°: PZ01000467)
- Clips for cable attachment to the hose (Art. N°: PZ01001051)

Description of the Product:

Electric sander orbital 6"


### Technical Details

Length	265 mm
Height	100 mm
Mains Connection	100 - 240 V/AC, 50 - 60 Hz
Drive	orbital
Offset	2,5 mm
Sound Pressure Level	69 dB(A)
Max. power consumption	150 W
Max. Speed	Level 1: 4.000 rpm Level 2: 5.000 rpm Level 3: 6.000 rpm Level 4: 7.000 rpm Level 5: 8.000 rpm Level 6: 9.000 rpm Level 7: 10.000 rpm





## Tools | Electric | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ800-K-50-CV-11	Sandinator, electric sander orbital 6", 5.0 mm offset, central vacuum	1700-0440-168X	1 pcs	

Scope of delivery:

- Tool
- Backup-Pad (Art. N°: PZ147-732-14)
- Suction (Art. N°: PZ01000395)
- Wrench for backup pad installation (Art. N°: PZ01000467)
- Clips for cable attachment to the hose (Art. N°: PZ01001051)

Description of the Product:

Electric sander orbital 6"


### Technical Details

Length	265 mm
Height	100 mm
Mains Connection	100 - 240 V/AC, 50 - 60 Hz
Drive	orbital
Offset	5,0 mm
Sound Pressure Level	71 dB(A)
Max. power consumption	150 W
Max. Speed	Level 1: 4.000 rpm Level 2: 5.000 rpm Level 3: 6.000 rpm Level 4: 7.000 rpm Level 5: 8.000 rpm Level 6: 9.000 rpm Level 7: 10.000 rpm



## Tools | Electric | Power supply | Electric Nib Sander - Aftermarket




Art. N°	Description	Control N°	Unit	EAN
PZ003BS	Power supply for Electric Sander oscillating - Aftermarket	1700-0167-198G	1 pcs	

Product description:

Power supply for Electric Nib Sander, oscillating, aftermarket (Art. N° PZ850-A-15-NV-8-S)

## Tools | Electric | Power supply | Electric Nib Sander - Aftermarket



Art. N°	Description	Control N°	Unit	EAN
PZ003P	Power supply for Electric Polisher, orbital - aftermarket	1700-0209-19D	1 pcs	

Product description:

Power supply for Electric Polisher, orbital (Art. N° PZ600-E-140-NV-8-S)

## Tools | Electric | Power supply | OEM



Art. N°	Description	Control N°	Unit	EAN
PZ003PP	Power supply for Electric Polisher rotary and orbital - industrial use	1700-0209-194S	1 pcs	

Product description:

Power supply for Electric Polishers (Art. N° PZ600-E-00-NV-8-I and PZ600-E-140-NV-8-I)

## Tools | Electric | Power supply | Electric Nib Sander - Industrial Use



Art. N°	Description	Control N°	Unit	EAN
PZ003BSP	Power supply for Electric Nib Sander, oscillating - aftermarket	1700-0141-994S	1 pcs	


Product description:

Power supply for Electric Nib Sander, oscillating, for industrial use (Art. N° PZ850-A-15-NV-8-I)




## Tools | Electric | Power supply | OEM



Art. N°	Description	Control N°	Unit	EAN
PZ003-I	OEM power supply for 1x Electric Sander oscillating and 2x Electric Polisher orbital	1700-0839-195Z	1 pcs	
Product description:		Power supply for 1x Electric Nib Sander, oscillating (Art. N° PZ850-A-15-NV-8-I) and 2x Electric Polisher, orbital (Art. .N° PZ600-E-140-NV-8-I and/or PZ600-E-00-NV-8-I)		

## Tools | Electric | Cables | straight



Art. N°	Description	Control N°	Unit	EAN
PZ006-5S	Connection cable, standard, 5 m, for slip ring 360° and fixed screw connection	1700-0065-198N	1 pcs	



## Tools | Electric | Cables | spiral



Art. N°	Description	Control N°	Unit	EAN
PZ005-6FS	Connection cable, curly cable 2 - 6 m for Finish Station	1700-0114-791A	1 pcs	


## Tools | Electric | Cables | spiral



Art. N°	Description	Control N°	Unit	EAN
PZ005-6S	Connection cable, curly cable 2 - 6 m for slip ring 360° and fixed screw connection	1700-0114-793W	1 pcs	
PZ005-6FS	Connection cable, curly cable 2 - 6 m for Finish Station	1700-0114-791A	1 pcs	


## Tools | Electric | Cables | spiral



Art. N°	Description	Control N°	Unit	EAN
PZ005-6SH	Connection cable, curly cable 2 - 6 m for slip ring 360° and fixed screw connection with harting plug-in	1700-0163-999A	1 pcs	

## Accessories Tools | Anti-Vibration Handle



Art. N°	Description	Control N°	Unit	EAN
PZ02000066	Anti-oscillating handle for two-handed polishers	1700-0014-958P	1 pcs	
Product description:		Anti-Vibration Handle for screwing. Suitable for Visomax Pneumatic Polisher 14.0 mm offset , orbital (Art. N° PZ200-E-140-NV-1), Visomax Electric Polisher, rotary (Art. N° PZ600-E-00-NV-8-I and Art. N° PZ600-E-00-NV-8-S)		

## Accessories Tools | Electric | Cable-in-Hose-System



Art. N°	Description	Control N°	Unit	EAN
PZ008-05-0104S807	Cable in hose system	1700-0167-194S	1 pcs	




Art. N°	Description	Control N°	Unit	EAN
PZ01000172	Wrench		1 pcs	





## Tools | Pneumatic | Polisher

Art. N°	Description	Control N°	Unit	EAN
PZ200-E-140-NV-1	Pneumatic Polisher, orbital, 14,0 mm offset	1700-0491-191W	1 pcs	

Scope of delivery:

- Tool
- Backup pad
- Wrench for backup pad installation
- Connection nipple

Description of the Product:

Pneumatic Polisher 3"

### Technical Details

Weight	650 g
Idle speed	12000 rpm
Backup pad size	73 mm (2,78")
Angle	90°
Drive	orbital
Offset	14 mm
Power	0,26 kW
Compressed air supply	1/4"
Air consumption	0,62 m³/min.
Operation pressure	3,4 bar
Display (Operation pressure)	yes
Air pressure max.	6,2 bar
Sound Pressure Level	81 dB(A)
Vibration	5,38 m/s²
Silencer	yes





## Tools | Pneumatic | Polisher

Art. N°	Description	Control N°	Unit	EAN
PZ200-EL32-00-NV-1	Pneumatic Extended Angle Polisher 3" rotary, 3,200 rpm	1700-0299-599W	1 pcs	

Scope of delivery: Tool  
Wrench for backup pad installation  
Connection nipple


Description of the Product: Pneumatic Extended Angle Polisher 3"

### Technical Details

Weight	1000 g
Idle speed	3200 rpm
Backup pad size	73 mm (2,78")
Angle	90°
Drive	rotary
Power	0,22 kW
Compressed air supply	1/4"
Air consumption	0,057 m³/min.
Operation pressure	4,8 bar
Display (Operation pressure)	yes
Air pressure max.	6,2 bar
Sound Pressure Level	81,7 dB(A)
Vibration	< 2,5 m/s²
Silencer	yes



## Tools | Pneumatic | Polisher

Art. N°	Description	Control N°	Unit	EAN
PZ200-I-50-NV-1	Pneumatic polisher 5", 5.0 mm offset without central vacuum	1700-0235-997R	1 pcs	

Scope of delivery:

- Tool
- Backup pad
- Wrench for backup pad installation
- Connection nipple

Description of the Product:

Pneumatic Palm Polisher 5"


### Technical Details

Weight	840 g
Idle speed	12000 rpm
Backup pad size	125 mm (4,92")
Angle	90°
Drive	orbital
Offset	5 mm
Power	0,29 kW
Compressed air supply	1/4"
Air consumption	0,062 m³/min.
Display (Operation pressure)	no
Air pressure max.	6,2 bar
Sound Pressure Level	80,1 dB(A)
Vibration	3,11 m/s²
Silencer	yes





## Tools | Pneumatic | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ100-A-30-NV-1	Pneumatic Extended Nib Sander 1.18", orbital, 3.0 mm offset	1700-0209-599D	1 pcs	

Scope of delivery:


- Tool
- Backup pad
- Wrench for backup pad installation
- Connection nipple

Description of the Product:


Pneumatic sander 1.18"

### Technical Details

Weight	960 g
Idle speed	15000 rpm
Backup pad size	30 mm (1.18")
Angle	100°
Drive	orbital
Offset	3 mm
Compressed air supply	1/4"
Air consumption	0,33 m <sup>3</sup> /min.
Display (Operation pressure)	no
Air pressure max.	6,2 bar
Sound Pressure Level	80,1 dB(A)
Vibration	< 2,5 m/s <sup>2</sup>
Silencer	yes



## Tools | Pneumatic | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ100-A-30-NV-1-N	Pneumatic nib sander 1,18", oscillating, 3,0 mm orbit	1700-0235-999D	1 pcs	

Scope of delivery:

- Tool
- Backup pad
- Wrench for backup pad installation
- Connection nipple

Description of the Product

Pneumatic nib sander 1,18"


### Technical Details

Weight	625 g
Idle speed	12000 rpm
Backup pad size	30 mm (1,18")
Angle	90°
Drive	orbital
Offset	3 mm
Power	0,22 kW
Compressed air supply	1/4"
Air consumption	0,62 m³/min.
Air pressure max.	6,2 bar
Sound Pressure Level	91,0 dB(A)
Vibration	< 2,5 m/s²
Silencer	yes





## Tools | Pneumatic | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ300-F-25-NV-1	Pneumatic sander, orbital" 3", 2,5 mm offset, without central vacuum	1700-0216-799M	1 pcs	

Scope of delivery:

- Tool
- Backup pad
- Wrench for backup pad installation
- Connection nipple

Description of the Product:


Pneumatic sander 3"

### Technical Details

Weight	960 g
Idle speed	12000 rpm
Backup pad size	73 mm (2,78")
Angle	90°
Drive	orbital
Offset	2,5 mm
Power	0,22 kW
Compressed air supply	1/4"
Air consumption	0,62 m³/min.
Air pressure max.	6,2 bar
Sound Pressure Level	91,0 dB(A)
Vibration	< 2,5 m/s²
Silencer	yes



## Tools | Pneumatic | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ300-K-25-CV-1	Pneumatic nib sander, orbital 6", 2.5 mm offset, central vacuum	1700-0235-997B	1 pcs	

Scope of delivery:

- Tool
- Backup pad
- Wrench for backup pad installation
- Connection nipple

Description of the Product:

Pneumatic sander 6"


### Technical Details

Weight	960 g
Idle speed	12000 rpm
Backup pad size	147 mm (5,78")
Drive	orbital
Offset	2,5 mm
Power	0,22 kW
Compressed air supply	1/4"
Air consumption	0,62 m³/min.
Display (Operation pressure)	no
Air pressure max.	6,2 bar
Sound Pressure Level	75,0 dB(A)
Vibration	5,02 m/s²
Silencer	yes





## Tools | Pneumatic | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ300-K-50-CV-1	Pneumatic nib sander, orbital 6", 5.0 mm offset, central vacuum	1700-0235-9970	1 pcs	

Scope of delivery:

- Tool
- Backup pad
- Wrench for backup pad installation
- Connection nipple

Description of the Product:


Pneumatic sander 6"

### Technical Details

Weight	960 g
Idle speed	12000 rpm
Backup pad size	147 mm (5,78")
Drive	orbital
Offset	5 mm
Power	0,22 kW
Compressed air supply	1/4"
Air consumption	0,62 m³/min.
Display (Operation pressure)	no
Air pressure max.	6,2 bar
Sound Pressure Level	75,1dB(A)
Vibration	5,02 m/s²
Silencer	yes



## Tools | Pneumatic | Sander

Art. N°	Description	Control N°	Unit	EAN
PZ300-K-95-CV-1	Pneumatic nib sander, orbital 6", 9.5 mm offset, central vacuum	1700-0235-999J	1 pcs	

Scope of delivery:

- Tool
- Backup pad
- Wrench for backup pad installation
- Connection nipple

Description of the Product:

Pneumatic sander 6"


### Technical Details

Weight	960 g
Idle speed	12000 rpm
Backup pad size	147 mm (5,78")
Drive	orbital
Offset	9,5 mm
Power	0,22 kW
Compressed air supply	1/4"
Air consumption	0,62 m³/min.
Display (Operation pressure)	no
Air pressure max.	6,2 bar
Sound Pressure Level	75,1 dB(A)
Vibration	5,02 m/s²
Silencer	yes





## Tools | Pneumatic | Sander | Nib Sander

Art. N°	Description	Control N°	Unit	EAN
PZ100-A-25-NV-1	Pneumatic One-Hand Nib Sander 1.18", 2.5 mm offset	1700-0379-993Q	1 pcs	

Scope of delivery:

- Tool
- Backup pad
- Wrench for backup pad installation
- Connection nipple

Description of the Product:

Pneumatic nib sander 1.18"

### Technical Details

Weight	650 g
Idle speed	8000 rpm
Backup pad size	30 mm (1.18")
Drive	orbital
Offset	2.5 mm
Power	0,18 kW
Compressed air supply	1/4"
Air consumption	0,048 m³/min.
Display (Operation pressure)	no
Air pressure max.	6,2 bar
Sound Pressure Level	71 dB(A)
Vibration	< 2,5 m/s²
Silencer	yes



## Tools | Pneumatic | Accessories



Art. N°	Description	Control N°	Unit	EAN
PZ500-535-1	Silencer (hose)	1700-0020-392H	1 pcs	

## Accessories Tools | Pneumatic | Spiral Hose Set



Art. N°	Description	Control N°	Unit	EAN
PZ005-3-D	Pneumatic spiral hose/SET	1700-0058-795T	1 pcs	

## Accessories Maintenance | Pneumatic | Tool | Grease Gun




Art. N°	Description	Control N°	Unit	EAN
PZ-GG-80	Grease Gun	1700-0023-499H	1 pcs	

Product description: in addition we recommend Autol Top 2000 Super Longtime Grease

## Accessories Maintenance | Pneumatic | Tool | Hook Wrench



Art. N°	Description	Control N°	Unit	EAN
PZ-GHS-22-35	Hook Wrench 22 - 35 mm 3 mm AMF	1700-0017-995Y	1 pcs	



## Accessories Maintenance | Pneumatic | Tool | Bearing puller



Art. N°	Description	Control N°	Unit	EAN
PZ-RT-BP50	Bearing puller	1700-0069-498O	1 pcs	

## Accessories Maintenance | Pneumatic | Tool | Bearing puller



Art. N°	Description	Control N°	Unit	EAN
PZ-RT-BP50-1	Bearing puller	1700-0055-492N	1 pcs	


## Accessories Maintenance | Pneumatic | Tool | Multifunctional Oil



Art. N°	Description	Control N°	Unit	EAN
PZ-M-2309	Spray Lubricant, 400 ml	1700-0008-995L	1 pcs	

## Accessories Maintenance | Pneumatic | Tool | Ring Spanner



Art. N°	Description	Control N°	Unit	EAN
PZ-RT-LR50	Adjustment for locking rings 50 mm, OD	1700-0138-499O	1 pcs	


## Accessories Maintenance | Pneumatic | Tool | Locking ring remover



Art. N°	Description	Control N°	Unit	EAN
PZ-RT-LN24	Locking ring remover	1700-0111-491A	1 pcs	


## Accessories Maintenance | Pneumatic | Tool | Spindle ring remover



Art. N°	Description	Control N°	Unit	EAN
PZ-RT-RS16	Spindle remover (rotor) 1.6	1700-0110-998S	1 pcs	

## Accessories Maintenance | Pneumatic | Tool | Pin Punches



Art. N°	Description	Control N°	Unit	EAN
PZ-A748000	Pin Punches with guiding sleeve 1.4 mm	1700-0011-991L	1 pcs	









## Accessories Tools | Backup Pads | Ø 18 mm | Stick-On





## Accessories Tools | Backup Pads | Ø 18 mm | Stick-On

Art. N°	Description	Control N°	Unit	EAN
PZ018-541-172	Backup Pad Ø 18 mm (0.70"), green, soft, film structure	1700-0008-392O	1 pcs	
PZ018-541-174	Backup Pad Ø 18 mm (0.70"), green, soft, velcro	1700-0008-393S	1 pcs	

## Accessories Tools | Backup Pads | Ø 18 mm | Stick-On

Art. N°	Description	Control N°	Unit	EAN
PZ018-532-172	Backup Pad Ø 18 mm (0.70"), yellow, medium, film structure	1700-0008-394L	1 pcs	
PZ018-532-174	Backup Pad Ø 18 mm (0.70"), yellow, medium, velcro	1700-0008-398H	1 pcs	

## Accessories Tools | Backup Pads | Ø 18 mm | Stick-On



Art. N°	Description	Control N°	Unit	EAN
PZ018-583-172	Backup Pad Ø 18 mm (0.70"), red, hard, film structure	1700-0008-393F	1 pcs	
PZ018-583-174	Backup Pad Ø 18 mm (0.70"), red, hard, velcro	1700-0008-391S	1 pcs	





## Accessories Tools | Backup Pads | Ø 18 mm | Stick-On





## Accessories Tools | Backup Pads | Ø 30 mm | Stick-On

Art. N°	Description	Control N°	Unit	EAN
PZ030-541-172	Backup Pad Ø 30 mm (1.18"), green, soft, film structure	1700-0008-396E	1 pcs	
PZ030-541-174	Backup Pad Ø 30 mm (1.18"), green, soft, velcro	1700-0008-393L	1 pcs	


## Accessories Tools | Backup Pads | Ø 30 mm | Stick-On

Art. N°	Description	Control N°	Unit	EAN
PZ030-532-172	Backup Pad Ø 30 mm (1.18"), yellow, medium, film structure	1700-0008-393L	1 pcs	
PZ030-532-174	Backup Pad Ø 30 mm (1.18"), yellow, medium, velcro	1700-0008-394W	1 pcs	

## Accessories Tools | Backup Pads | Ø 30 mm | Stick-On

Art. N°	Description	Control N°	Unit	EAN
PZ030-583-172	Backup Pad Ø 30 mm (1.18"), red, hard, film structure	1700-0008-398A	1 pcs	
PZ030-583-174	Backup Pad Ø 30 mm (1.18"), red, hard, velcro	1700-0008-393R	1 pcs	

## Accessories Tools | Backup Pads | Ø 20 mm | Velcro


Art. N°	Description	Control N°	Unit	EAN
PZ020-532-4	Backup Pad Ø 20 mm (0.78")	1700-0009-191M	1 pcs	



Product description:

Backup Pad suitable for Ø 20 mm sanding disc. Suitable for Visomax Pneumatic Nib Sander, oscillating (Art. N° PZ100-A-15-NV-1) and Visomax Electric Nib Sander, oscillating (Art. N° PZ850-A-15-NV-8-I and PZ850-A-15-NV-8-S)

## Accessories Tools | Backup Pads | Ø 30 mm | Velcro


Art. N°	Description	Control N°	Unit	EAN
PZ030-362-3	Backup Pad Ø 30 mm (1.18")	1700-0009-590V	1 pcs	



Product description:

Backup Pad suitable for Visomax Pneumatic Nib Sander, oscillating (Art. N° PZ100-A-15-NV-1) and Visomax Electric Nib Sander, oscillating (Art. N° PZ850-A-15-NV-8-I and PZ850-A-15-NV-8-S)

## Accessories Tools | Backup Pads | Ø 40 mm | Velcro

Art. N°	Description	Control N°	Unit	EAN
PZ040-500-204	Backup pad Ø 40 mm for Polish for the cordless Sandinator ESX05	1700-0009-992J	1 pcs	



Product description:

Backup Pad suitable for Ø 50 mm polishing pads. Suitable for the Visomax Corded and Cordless Sander ESX03 & ESX05

## Accessories Tools | Backup Pads | Ø 50 mm | Velcro

Art. N°	Description	Control N°	Unit	EAN
PZ050-500-214	Backup pad Ø 50 mm, velcro, 5/16" thread	1700-0018-391X	1 pcs	




Product description:

Backup Pad suitable for Ø 60 mm polishing pads.




## Accessories Tools | Backup Pads | Ø 70 mm | Velcro

Art. N°	Description	Control N°	Unit	EAN
PZ070-1032-14	Backup Pad Ø 70 mm, 3 holes	1700-0019-598A	1 pcs	



## Accessories Tools | Backup Pads | Ø 73 mm | Velcro


Art. N°	Description	Control N°	Unit	EAN
PZ073-532-4	Backup Pad Ø 73 mm (2.87"), 5/16" thread	1700-0019-592X	1 pcs	



Product description:

Backup Pad suitable for the following Visomax tools:  
Pneumatic Palm Sander 3" (Art. N° PZ300-F-25-NV-1),  
Pneumatic Extended Angle Sander 3" (Art. N° PZ200-EL32-00-NV-1),  
Pneumatic Polisher, orbital, 14.0 mm offset (Art. N° PZ200-E-140-NV-1),  
Electric

## Accessories Tools | Backup Pads | Ø 73 mm | Velcro


Art. N°	Description	Control N°	Unit	EAN
PZ073-632-4	Backup Pad Ø 73 mm (2.87"), M8	1700-0020-791W	1 pcs	



Product description:

Backup Pad suitable for Visomax Pneumatic Palm Sander 3" (Art. N° PZ300-F-25-NV-1)

## Accessories Tools | Backup Pads | Ø 125 mm | Velcro

Art. N°	Description	Control N°	Unit	EAN
PZ125-282-2	Backup Pad Ø 125 mm (4.9")	1700-0023-993R	1 pcs	




Product description:

Backup Pad suitable for Visomax Pneumatic Palm Polisher 5" (Art. N° PZ200-I-50-NV-1)

## Accessories Tools | Backup Pads | Ø 125 mm | Velcro




Art. N°	Description	Control N°	Unit	EAN
PZ125-362-13	Backup Pad Ø 125 mm (5"), medium, 9 holes	1700-0023-998A	1 pcs	

Product description:

Backup Pad Ø 125 mm (5"), with 9 holes, suitable for Polinator 15 mm offset (Art. N° PZ600-I-150-NV-10)

## Accessories Tools | Backup Pads | Ø 147 mm | Velcro




Art. N°	Description	Control N°	Unit	EAN
PZ147-732-14	Backup Pad Ø 147 mm (5.78"), medium, multihole	1700-0033-595P	1 pcs	

Product description:

Backup Pad Ø 147 mm (5.78"), medium, multihole, for Sandinator 6" PZ800-K-25-CV-11 & PZ800-K-50-CV-11



Art. N°	Description	Control N°	Unit	EAN
PZ147-1262-13	Backup Pad Ø 147 mm, 16 holes	1700-0023-998C	1 pcs	

Product description:

Backup Pad Ø 147 mm, with 16 holes, suitable for Polinator 21 mm offset (Art. N° PZ600-K-210-NV-10)




## Accessories | Glass File



Art. N°	Description	Control N°	Unit	EAN
PZ130310	Glass file, round	1700-0009-605J	1 pcs	


## Accessories | Glass File Support



Art. N°	Description	Control N°	Unit	EAN
PZ130312	Support for glass file	1700-0004-631L	1 pcs	

## Accessories | Inspection Card



Art. N°	Description	Control N°	Unit	EAN
PZ-IC-01	Inspection Card for painted surfaces	1700-0164-784H	50 pcs	


## Accessories | Pistole Cartridges




Art. N°	Description	Control N°	Unit	EAN
PZ-Kartuschenpistole	Double Pistole Cartridges	1700-0045-281H	1 pcs	


## Accessories | Airbrush



Art. N°	Description	Control N°	Unit	EAN
PZ080-010-1	Airbrush with nozzle 0.8 mm	1700-0070-720E	1 pcs	

## Accessories | Leather Bracelet with Humidifier for Sanding Discs



Art. N°	Description	Control N°	Unit	EAN
PZ620-040-05-H	Leather Bracelet with Disc Humidifier	1700-0028-794E	1 pcs	

## Accessories | Paint Blade



Art. N°	Description	Control N°	Unit	EAN
LE-100	Paint Blade	1600-0041-069G	1 pcs	




## Sanding Blocks | 115 x 230 mm | With Vacuum Conector



Art. N°	Description	Control N°	Unit	EAN
PZ400-115230-CV-10	Sanding Block 115 x 230 mm with vacuum connector, 10 holes	1700-0085-2470	1 pcs	

## Sanding Blocks | 70 x 400 mm | With Vacuum Conector





Art. N°	Description	Control N°	Unit	EAN
PZ400-70400-CV-14	Sanding Block 70 x 400 mm with vacuum connector, 14 holes	1700-0068-058U	1 pcs	

## Sanding Blocks | Without Vacuum Conector



Art. N°	Description	Control N°	Unit	EAN
PZ400-K-00-NV-3	Sanding Block without vacuum connector	1700-0014-858O	1 pcs	

## Inspection & Lighting Systems | Mobile Light Walls

Art. N°	Description	Control N°	Unit	EAN
PZ-MLW-ECO	Mobile Light Wall ECO	1700-1011-500K	1 pcs	
PZ-MLW-ECO-L	Mobile Light Wall ECO LED	1700-1316-650K	1 pcs	

### PZ-MLW-ECO

#### Technical Details

Length	770 mm
Depth/Width	600 mm
Height	1770 mm
Rolls (normal)	2
Rolls (with brakes)	2
Mains Connection	230 V/AC/ - 50 Hz
Protection Class	IP54
Power	232 W
Dimmable	yes
Weight	45 kg
Color Reproduction Level	80 - 89 (Klasse 1B)

### PZ-MLW-ECO-L



#### Technical Details

Length	770 mm
Depth/Width	600 mm
Height	1770 mm
Rolls (normal)	2
Rolls (with brakes)	2
Mains Connection	230 V/AC/ - 50 Hz
Protection Class	IP54
Power	128 W
Dimmable	yes
Weight	45 kg
Color Reproduction Level	80 - 89 (Klasse 1B)





## Inspection & Lighting Systems | Mobile Light Walls

Art. N°	Description	Control N°	Unit	EAN
PZ-MLW-ECO-45	Mobile Light Wall ECO 45°	1700-1911-654H	1 pcs	
PZ-MLW-ECO-45-L	Mobile Light Wall ECO 45° LED	1700-2421-653A	1 pcs	

### PZ-MLW-ECO-45°

#### Technical Details

Length	770 mm
Depth/Width	600 mm
Height	2390 mm
shrunked measurements	1830 mm
Rolls (normal)	2
Rolls (with brakes)	2
Mains Connection	230 V/AC/ - 50 Hz
Protection Class	IP54
Power	304 W
Dimmable	yes
Weight	65 kg




### PZ-MLW-ECO-45-L

#### Technical Details

Length	770 mm
Depth/Width	600 mm
Height	2390 mm
shrunked measurements	1830 mm
Rolls (normal)	2
Rolls (with brakes)	2
Mains Connection	230 V/AC/ - 50 Hz
Protection Class	IP54
Power	168 W
Dimmable	yes
Weight	65 kg



## Inspection & Lighting Systems | Finish Station

Art. N°	Description	Control N°	Unit	EAN
PZ-MLW-ECO-45-WSL	Visomax Finish Station, without tools LED	1700-3391-500S	1 pcs	
PZ-MLW-ECO-45-WSL01	Visomax Finish Station, tool set orbital LED	1700-4751-501B	1 pcs	
PZ-MLW-ECO-45-WSL02	Visomax Finish Station, tool set rotary LED	1700-4751-500S	1 pcs	

Exemplary  
Scope of delivery of  
PZ-MLW-ECO-45-WSL01

Light Wall ECO 45° with Tool cabinet  
1x Polinator 15,0 mm offset, electric polisher, orbital (Art. N° PZ600-I-150-NV-10)  
1x Electric Nib Sander, oscillating (Art.N° PZ850-A-15-NV-8)  
1x Electric Polisher, orbital (Art.N° PZ600-E-140-NV-8)  
1x Tool support incl. socket (for Polinator)  
2x Tool carrier for grinder and polisher  
1x Cord rewind for 10 m connection cable  
2x Curly cable  
1x Foam Pad Ø 80 mm green, soft, (Art. N° PS970-80-4912-25)  
1x Foam Pad Ø 80 mm red, hard (Art. N° PS970-80-5012-25)  
1x Foam Pad Ø 80 mm yellow, medium, (Art. N° PS970-80-5112-25)  
1x Foam Pad Ø 125 mm green, soft, (Art. N° PS970-125-4912-30)  
1x Foam Pad Ø 125 mm red, hard, (Art. N° PS970-125-5012-30)  
1x Foam Pad Ø 125 mm yellow, medium, (Art. N° PS970-125-5112-30)  
With integrated power supply  
Storage space in the tool cabinet  
Sander is separately fused

Description of the  
Product:

Lightwall ECO 45° with integrated Tool Cabinet and fitting Tools

Features of the Light Wall:

- light flap 45° can be folded
- the light strip can easily be opened and closed due to pneumatic spring
- a security lax prevents from sudden fold back while shunting
- illumination units are dimmable with 4 different channels
- robust plastic rolls, 2 of them with brakes
- solid aluminum base frame
- solid flap hinge made of full aluminum
- tempered safety glass
- total weight just 112 kg
- bottle fix storage for 6 polish bottles 500ml






**visomax**




Technical Details	Lightwall LED	Technical Details	Tool Cabinet
Width	950	Length Cabinet	774 mm
Depth / Width	800	Depth / Width Cabinet	265 mm
Height	2260 mm	Height Cabinet	824 mm
Shrunked measurements	1830 mm	Mains Connection	230 V/AC, 50 Hz
Weight	incl. Tool Cabinet 100 kg	Socket	1.500 W (max.)
Rolls (normal)	2		
Rolls (with brakes)	2		
Mains Connection	230 V/AC, 50 Hz		
Protection Class	IP54		
Dimmable	yes		



- 1 Support for electric tools#1 incl. Socket  
1 Support for electric tools (Socket 230 V)
- 2 Cord Rewind  
2 for 10 meter connection cable
- 3 Curly Cable  
Safe and accident-free work with high flexibility  
(no twisted cables)
- 4 Storage space  
sufficient storage space for consumables and tools
- 5 Security  
The current of the Finish Tools is seperately secured
- 6 Bottle Fix  
Store safely up to 6 bottles
- 7 Tool Support#2  
Tool support for Finish Tools







## VISOMAX CUSTOMER SPECIFIC PROJECTS

Special construction for craft and industry

One of our strengths is the customized special construction of lighting systems of all kinds. This includes light tunnels, completely equipped workstations as well as individual work tables and light walls.

Visomax work tables are in almost all cases customer-specific developments, which are designed according to the customer's specifications or according to the component to be inspected and machined.

We always take the ergonomics of the workstation into consideration and integrate the required tools and consumables into the worktable in a sensible manner. Thanks to our many years of experience in this segment, we are at your side as a professional partner throughout the entire course of the project






Whenever "standard" is no solution, our lightwalls Compact, Lightwall Compact 45° and Lightwall 45° come in focus. These lightwalls are individually adapted to the conditions at the customer's site and manufactured accordingly. These lightwalls can vary in design, size, control, but also in the installed lighting.




Let us advise you now individually for a product tailored to you:

[info@visomax.de](mailto:info@visomax.de) • +49 931 4528140



## Vacuum Cleaner | Dust protection class M

Art. N°:	Description	Control N°	Unit	EAN
PZ-VC-WDFC-35M	Industrial vacuum cleaner for electric tools, wet/dry, with cleaning, 35 litre, dust class M	1700-0838-994V	1 pcs	

Scope of delivery:

- Coupling bush for electric tools
- Switch on/off mode for electric tools
- Antistatic system
- Eco-Filter System,
- Flat-fold filter, paper (Art.N° PZ-VC-WDFC-35M-01)
- Protection class I
- Caster wheel with total-lock brake

Description of the Product:

Handy, commercial wet/dry vacuum cleaner with an innovative auto filter cleaning system. With stepless speed control and tele-electronic socket with On-/Off-automatic for power tools. These versions comply with all European standards and therefore they are qualified and licensed for the suction of harmful dusts class M.

The powerful and extremely robust wet/dry vacuum cleaner is equipped with a world-wide unique, highly efficient automatic filter cleaning device which allows the pick-up of huge fine dust quantities with a constant high suction performance without work interruption. The safety vacuum cleaner is equipped with the antistatic system (grounded up to suction hose connector) and electrically conductive accessory. Through the grounded connection port, electrostatic charge will securely be deduced. The charge of the accessories through friction of dust inside the hose and the therewith combined sparking can thus safely be avoided with an electronically leading suction hose. The whole machine, including accessory, is equipped for dust class M. It is also applicable as a wet vacuum cleaner for the absorption of liquids.





## Technical Details

Length	520 mm
Width	380 mm
Height	580 mm
Weight	12,7 kg
Suction hose connection	58 mm

Protection class	IPX4
Mains Connection	220 - 240 V
Frequency	1~50 - 60 Hz
Max. Performance	1380 W

Rated Power	1.200 W
Container Quantity	34 l
Filling Quantity (Liquid)	19 l
Air Volume	190 m <sup>3</sup> /h
Negative Pressure (max)	24,0 kPa

Power connection	100 - 2.200 W
------------------	---------------

Surface of the flat fold filter	0,6 m <sup>2</sup>
Ambient temperature	min. -10 °C max. +40 °C

Relative air humidity	30 - 90 %
-----------------------	-----------

Sound pressure level LpA	69 db(A)
--------------------------	----------

## Technical Details




Length	7,5 m
--------	-------



cable-in tube-system for  
Electric tools  
Art. N°: PZ008-05-0104S807

(not included in the Scope of  
delivery)

## Vacuum cleaner | Kit with electric tools

Art. N°:	Description	Control N°	Unit	EAN
PZ-VC-E-25-E	Industrial vacuum cleaner kit with electric tools 3", 2.5 mm offset	1700-1087-595M	1 pcs	
PZ-VC-K-25-E	Industrial vacuum cleaner kit with electric tools 6", 2.5 mm offset	1700-1104-795R	1 pcs	
PZ-VC-K-50-E	Industrial vacuum cleaner kit with electric tools 6", 5.0 mm offset	1700-1104-797C	1 pcs	

Scope of delivery:


- Industrial vacuum cleaner
- Electric tool Sandinator
- Cable-in-tube system for Electric tools (Art N° PZ008-05-0104S807)
- Coupling bush for electric tools
- Switch on/off mode for electric tools
- Antistatic system
- Eco-Filter System
- Flat-fold filter, paper (Art.N° PZ-VC-WDFC-35M-01)
- Protection Class I
- Caster wheel with total-lock brake





## Industrial Vacuum Cleaner | Accessories




Art. N°:	Description	Control N°	Unit	EAN
PZ-VC-WDFC-35M-01	Main filter for industrial vacuum cleaner PZ-VC-WDFC-35M	1700-0025-998G	1 pcs	

## Industrial Vacuum Cleaner | Accessories



Art. N°:	Description	Control N°	Unit	EAN
PZ-VC-WDFC-35M-02	Filter bag fleece 5 pcs. for industrial vacuum cleaner PZ-VC-WDFC-35M	1700-0015-195V	5 pcs	


## Industrial Vacuum Cleaner | Accessories





Art. N°:	Description	Control N°	Unit	EAN
PZ-VC-WDFC-35M-03	PE bag 10 pcs. for industrial vacuum cleaner PZ-VC-WDFC-35M	1700-0027-195R	10 pcs	

## Industrial Vacuum Cleaner | Accessories



Art. N°:	Description	Control N°	Unit	EAN
PZ-VC-WDFC-35M-04	Dusting brush DN35	1700-0017-592M	1 pcs	

## Vacuum cleaner | Sanding Station

Art. N°	Description	Control N°	Unit	EAN
PZ-VC-K-25-E-TR	Visomax Sanding Station with electric tool 6" 2.5 mm offset	1700-1607-997V	1 pcs	
PZ-VC-K-50-E-TR	Visomax Sanding Station with electric tool 6" 5.0 mm offset	1700-1607-999L	1 pcs	

Exemplary  
Scope of delivery of  
PZ-VC-K-25-E-TR

- 1 Industrial Vacuum Cleaner (Art N°PZ-VC-WDFC-35M)
- 1 Hose for electric tool (Art N° PZ008-05-0104S807)
- 1 Tool Rack (Art N° PZ-VC-EDFC-35M-07)
- 1 Electric tool (Sanderator with 6", 2,5 mm offset Art N° PZ800-K-CV-11)

### Description of the Product:


The Visomax Sanding Station is the sanding station for every occasion.

- The powerfull industrial vacuum cleaner is suitable for wet and dry aspiration
- The electric tool is available with 2,5 mm or 5,0 mm offset
- The Tool Rack offers sufficient work bench for abrasives, backup pads and interface pads
- Storage space for tools and other work equipment
- Hose mount
- Support for electric tools





- 1 Storage space  
the integrated case offers storage space for further tools, equipments etc
- 2 Support for electric tools  
Perfect for an easy deposit of tools
- 3 Supports  
Perfect for abrasives and interface pads
- 4 Work bench  
Offers space for polishes, product boxes, etc
- 5 Hose mount  
Support for cable-in-hose-system



# VisCoat - coatings + paints

## **Visomax VisCoat - the brand for professional coating accessories**

Visomax owns a worldwide unique spectrum of experience, technical expertise and products regarding the processes in the professional sector of painted surfaces.

We as like as our customers benefit from a continuous development of our products and concepts, based on an intensive and global cooperation with well-known automobile manufacturers since 2003.

The requirement of our customers and our projects are the achievement of perfect results for high gloss painted surfaces within a short processing time at any time.

To be able to realize treatment concepts, it is necessary to have perfect fitting and compatible components.

The VisCoat - series has been developed for professional use, where efficient, organization, cleanliness, speed and efficiency had have a huge focus.

## **There are various fields of application for the VPS series:**

- Automotive Industry
- TIER1 / TIER2 (e. g. plastic components)
- Ship industry
- Furniture industry and Carpenters
- Music instrument industry
- Manufacturing of high gloss interior for yachts and aircraft
- Aircraft industry

Our competent and friendly sales team along with our back office is looking forward to support you by choosing the right products and developing your process to the optimum.



Contact us for the perfect finish.



[www.visomax.de](http://www.visomax.de)

e-mail: [info@visomax.de](mailto:info@visomax.de)

phone: +49 931 452814 0

## Aqua silicone remover



Art. N°	Description	Control N°	Unit	EAN
VC-HLR-1	Aqua Silicon Remover, 400 ml	1800-0008-792A	1 pcs	
VC-HLR-2	Headlamps Primer, 250 ml	1800-0008-792B	1 pcs	


## Tack Cloth



Art. N°	Description	Control N°	Unit	EAN
VC-SBT-4	Tack Cloth rolled up	1800-0017-195G	25 pcs	

## Tack Cloth Dispenser



Art. N°	Description	Control N°	Unit	EAN
VC-Dispenser-SBT	Dispenser of Tack Cloth	1800-0010-49RZ	1 pcs	





# Kits & Accessories

## Visomax Kits & Accessories

Our company has a worldwide unique experience, know-how and product range of the finishing in the professional area of the painted surface.

The intensive and global cooperation with leading premium car manufacturers, which has existed since 2003, is a very important source for us and our customers for the further development of our products and concepts.

The customer and project requests placed on our company are always the optimization of process times, as well as the achievement of perfect results on high-gloss painted surfaces, taking into account an extremely efficient and resource-saving material consumption.

In order to implement an professional finish process, perfectly matched components are required, and these are perfectly supported by our accessories.

Our exclusive case sets and kits are designed according to our high industry standards.

Contact us, for the perfect finish

[www.visomax.de](http://www.visomax.de)

e-mail: [info@visomax.de](mailto:info@visomax.de)

phone: +49 931 452814 0







# Kits & Accessories

## Kits | Case Set Paint Shop CS I

Art. N°	Description	Control N°	Unit	EAN
Compact-Bag-CSR	Compact Bag Kit - Cordless Sandinator 3 + 5 mm orbit	1700-1095-203K	1 pcs	

Scope of delivery:

- 1x Sandinator-Cordless-Series, ESV03
- 1x Sandinator-Cordless-Series, ESX05
- 2x Li-Ion Battery
- 1x Charging Station
- 1x Power supply
- 1x Backup pad Ø 30 mm, red, hard, velcro
- 1x Backup pad Ø 30 mm, green, soft, velcro
- 1x Backup pad Ø 30 mm, yellow, medium, velcro
- 1x Backup pad Ø 40 mm, velcro
- 1x Leather Bracelet with Humidifier for Sanding Discs
- 3x Foam Pad Ø 50 mm, yellow, medium
- 1x AbraxX sanding disc P3000 Ø 32 mm, velcro-round
- 1x PS1500 Finish Control Spray
- 1x AX1750 AbraxX sanding liquid
- 1x PS209C Polish medium
- 1x PS141 micro fibre cloth 330 g/m²
- 1x Paint Marker for coats


Description of the Product:

sports bag for spot repair





## Kits | Compact-Bag-EPR00

Art. N°	Description	Control N°	Unit	EAN
Compact-Bag-EPR00	Compact Bag Kit - Polinator rotary	1700-0380-007B	1 pcs	

Scope of delivery:


- 1x Polinator EPR00 (rotary)
- 2x PS141 Microfibre cloth 330 g/m<sup>2</sup>
- 1x PS205XC polish, heavy cut
- 1x PS250i polish, fine
- 1x PS209C polish, medium
- 1x Foam pad Ø 125 mm, yellow, medium
- 1x Foam pad Ø 125 mm, green, soft
- 1x Foam pad Ø 125 mm, red, hard


Description of the Product: Compact sport bag with the Polinator rotary polishing machine



# Kits & Accessories

## Kits | Compact-Bag-EPX15

Art. N°	Description	Control N°	Unit	EAN
Compact-Bag-EPX15	Compact Bag Kit - Polinator 15 mm orbit, offset	1700-0380-006T	1 pcs	
Scope of delivery:	1x Polinator EPX15 (orbital) 2x PS141 Microfibre cloth 330 g/m² 1x PS205XC polish, heavy cut 1x PS250i polish, fine 1x PS209C polish, medium 1x Foam pad Ø 125 mm, yellow, medium 1x Foam pad Ø 125 mm, green, soft 1x Foam pad Ø 125 mm, red, hard			
Description of the Product:	Compact sport bag with the Polinator orbital polishing machine			





## Kits | Compact-Bag-EPX15

Art. N°	Description	Control N°	Unit	EAN
Compact-Bag-EPX21	Compact Bag Kit - Polinator 21 mm orbit, offset	1700-0380-009V	1 pcs	

Scope of delivery:

- 1x Polinator EPX21 (orbital)
- 2x PS141 Microfibre cloth 330 g/m<sup>2</sup>
- 1x PS205XC polish, heavy cut
- 1x PS250I polish, fine
- 1x PS209C polish, medium
- 1x Foam pad Ø 163 mm, yellow, medium
- 1x Foam pad Ø 163 mm, green, soft
- 1x Foam pad Ø 163 mm, red, hard


Description of the Product: Compact sport bag with the Polinator orbital polishing machine

visomax  
for the perfect finish  
www.visomax.de



# Kits & Accessories

## Kits | Finishkit (De-Nibber)

Art. N°	Description	Control N°	Unit	EAN
Finishkit(Blüte)	Finishkit (De-Nibber)	2000-0273-607M	1 pcs	
Scope of delivery:	1x Case with Inlay 1x Pneumatic Nib Sander, oscillating (Art. N° PZ100-A-15-NV-1) 1x Backup Pad incl. interface pad Ø 30 mm (Art. N° PZ030-542-12) 1 unit AbraxX Sanding Discs P3000 Ø 32 mm, stick-on, round (Art. N° AX630-16101-0320) 1x Polish Medium Cut, 500 ml (Art. N° PS209) 1x Polish Special Anti-hologram, 500 ml (Art. N° PS250) 1x Leather Bracelet with Humidifier for Mini Sanding Discs (Art. N° PZ620-040-05-H)			
Description of the Product:	Starter Kit to erase defects by a pneumatic nib sander.			





## Kits | Finish Kit (Pad)

Art. N°	Description	Control N°	Unit	EAN
Finishkit(Pad)	Finishkit (Pad)	2000-0260-006K	1 pcs	

Scope of delivery:

- 1 x Case with Inlay
- 1x Pneumatic Palm Sander 3", (Art. N° PZ300-F-25-NV-1)
- 1x Backup Pad Ø 73 mm (Art. N° PZ073-632-4)
- 1x Interface Pad Ø 75 mm (Art. N° PS820-75-25110-400)
- 1 unit (50 pieces) AbraxX HP Sanding Discs, Ø 75 mm, P2000, 0 holes (Art. N° AX72000-929-075-0)
- 1 unit (30 pieces) Sanding Pad P3000 Ø 75 mm, 0 75 mm (Art. N° AX730-122-075-0)
- 1x Polish Medium Cut, 500 ml (Art. N° PS209)
- 1x Polish Special Anti-hologram, 500 ml (Art. N° PS250)

Description of the Product: Starter Kit to erase defects by a pneumatic sander.



# Kits & Accessories

## Kits | Case Set Cordless Smart Repair

Art. N°	Description	Control N°	Unit	EAN
KoSe-CSR	Case Set Cordless Smart Repair	2000-1412-00D	1 pcs	

Scope of delivery:

- 1x Case with Inlay
- 1x Sandinator Cordless Series ESV03 Vibration (Art. N° PZ860-A-30-NV-8)
- 1x Sandinator Cordless Series ESX05 orbital (Art. N° PZ860-AE-50-NV-8)
- 3x Backup Pad Ø 30 mm (soft, medium, hard) (Art. N° PZ030-541-174, PZ030-532-174 und PZ030-583-174)
- 3x Backup Pad Ø 18 mm (soft, medium, hard) (Art. N° PZ018-541-174, PZ018-532-174 und PZ018-583-174)
- 1x Backup Pad Ø 40 mm (Art. N° PZ040-500-204)
- 4x Li-Ion Battery (Art. N° PZ01000532)
- 2x Charging Station with power supply (Art. N° PZ01000593)
- 1 x AbraxX Sanding Disc P3000, Ø 32 mm velcro (Art. N°: 630-18201-0320)
- 1 x AbraxX Sanding Disc P3000, Ø 20 mm velcro (Art. N°: 630-18201-0200)
- 3 x Foam pads, green, soft Ø 50 mm (Art. N°: PS935-050-4912-15)
- 6 x Foam pads yellow, medium Ø 50 mm (Art. N°: PS935-050-5112-15)
- 3 x Foam pads red, hard Ø 50 mm (Art. N°: PS935-050-5012-15)
- 1 x Polish 209C, medium cut, green, 500 ml

Description of the Product:

Starter Kit Cordless Nib Sander ESV03 & ESX05 space-saving, clean & handy.





## Kits | Case Set Paint Shop CS I

Art. N°	Description	Control N°	Unit	EAN
KoSe-Paint-Shop-CS-1	Case Set with Cordless Nib Sander & Two-handed Electric Polisher 14.0 mm offset, orbital	2000-1312-00H	1 pcs	4 260151 729175
KoSe-Paint-Shop-CS-2	Case Set with Cordless Nib Sander & Two-handed Electric Polisher rotary, industrial use	2000-1312-00D	1 pcs	4 260726 570997
KoSe-Paint-Shop-CS-3	Case set with cordless sander - oscillating & two-hand electric polisher, rotary	2000-1312-00N	1 pcs	4 260151 729946
KoSe-Paint-Shop-CS-4	Case set with cordless sander - orbital & two-hand electric polisher, rotary	2000-1312-00I	1 pcs	4 260151 729953

Exemplary  
Scope of delivery  
KoSe-Paint-Shop-CS-2:

1x Case with Inlay  
1x Two-handed Electric Polisher 14.0 mm offset, orbital (set - incl. cable and power supply) (Art. N° PZ600-E-140-NV-8-S)  
1x Sandinator Cordless Series, 3 mm offset (Art. N° PZ860-A-30-NV-8)  
1x Backup Pad yellow, medium, Velcro (Art.



Description of the  
Product:

Starter Kit Cordless Nib Sander & Two-handed Electric Polisher 14.0 mm offset.  
Especially developed for the aftermarket.  
Not suitable for the use in an industrial environment!  
Space-saving, clean & handy - Only a socket required!

visomax  
for the perfect  
www.visomax.de




Kits | Case Set Paint Shop

Art. N°	Description	Control N°	Unit	EAN
KoSe-Paint-Shop-I	Case Set with Electric Nib Sander & Two-handed Electric Polisher 14.0 mm offset, orbital - both for Aftermarket	2000-1008-007P	1 pcs	
KoSe-Paint-Shop-II	Case Set with Electric Nib Sander & Electric Polisher - rotary, both for Aftermarket	2000-1008-005S	1 pcs	
Exemplary Scope of delivery KoSe-Paint-Shop-I:	„1x Case with Inlay 1x Electric Polisher, orbital (Art. N° PZ600-E-140-NV-8) 1x Electric Nib Sander (Art. N° PZ850-A-15-NV-8) 1x Backup Pad Ø 30 mm (to be determined more precisely at placing order) 1x Power Supply installed in the case for polisher and sander 1x Cold-device plug			
Description of the Product:	Starter Kit Electric Tools. Especially developed for the aftermarket. Not suitable for the use in an industrial environment! Space-saving, clean & handy - Only a socket required!			





## Kits | Case Set Paint Shop | Curly Cable

Art. N°	Description	Control N°	Unit	EAN
KoSe-Paint-Shop-S-I	Case Set with Electric Nib Sander & Two-handed Electric Polisher 14.0 mm offset, orbital with curly cable	2000-1176-008T	1 pcs	

Scope of delivery:


- 1x Case with Inlay
- 1x Electric Polisher, orbital (Art. N° PZ600-E-140-NV-8)
- 1x Electric Nib 1x Case with Inlay
- 1x Electric Polisher, orbital (Art. N° PZ600-E-140-NV-8)
- 1x Electric Nib Sander (Art. N° PZ850-A-15-NV-8)
- 1x Backup Pad Ø 30 mm (to be determined more precisely at placing order)
- 1x Power Supply installed in the case for polisher and sander
- 2x Curly Cable (Art. N° PZ005-6FS)
- 1x Cold-device plug

Description of the Product: Starter Kit with Electric Tools. Especially developed for the aftermarket. Space - saving, clean & handy - only a socket required! Perfect suitable with the Visomax Finish Station.



# Kits & Accessories


## Kits | Case Set Paint Headlamps

Art. N°	Description	Control N°	Unit	EAN
KO-SL-01	Case Set Paint Headlamps	2000-0289-1971	1 pcs	
Scope of delivery:	1x Pneumatic Angle Sander 2" (Art. N° PZ300-C-30-NV-2) 1x Backup Pad Ø 75 mm (Art. N° PZ075-531-4) 1 unit (100 pieces) AbraxX HP Sanding Discs Ø 75 mm, P500, 0 holes (Art. N° AX5500-929-075-0) 1 unit (50 pieces) AbraxX HP Sanding Discs Ø 75 mm P1000, 0 ho			
Description of the Product:	Starter Kit Polish Headlamps The equipment that makes your headlamps clear again!			





## Kits | Case Set Sanding & Polishing - General

Art. N°	Description	Control N°	Unit	EAN
KoSe-SchlPol	Case Set Sanding & Polishing	2000-0436-007P	1 pcs	

Scope of delivery:

- 1x Pneumatic Nib Sander, oscillating (Art. N° PZ100-A-15-NV-1)
- 1x Pneumatic Angle Polisher 3", rotary (Art. N° PZ200-E-00-NV-1)
- 1x Backup Pad Ø 30 mm incl. interface pad (Art. N° PZ030-542-12)
- 1x Leather Bracelet with Humidifier for Sanding Discs Ø 30 mm

Description of the Product:


Starter Kit Sanding & Polishing

**visomax**  
for the perfect finish  
[www.visomax.de](http://www.visomax.de)



# Kits & Accessories

## Kits | Case Set Sanding & Polishing - Exclusive

Art. N°	Description	Control N°	Unit	EAN
KoSe-SchlPolII	Case Set Sanding & Polishing - Exclusive	2000-0504-001F	1 pcs	

### Scope of delivery:

1x Case with Inlay  
 1x Pneumatic Nib Sander, oscillating (Art. N° PZ100-A-15-NV-1)  
 1x Pneumatic Extended Angle Polisher 3", rotary (Art. N° PZ200-EL32-00-NV-1)  
 1x Backup Pad Ø 30 mm incl. interface pad (Art. N° PZ030-542-12)  
 1x Leather Bracelet with Humidifier for Sanding Discs Ø 30 mm (Art. N° PZ620-040-05-H)  
 1x Finish Control Spray, 500 ml (Art. N° PS1500)  
 1x Microfibre Cloths Prometheus blue (Art. N° PS140)  
 1 unit AbraxX Sanding Discs P3000, Ø 32 mm, stick-on, round, (Art. N° AX630-16101-0320)  
 1x Polish Medium Cut, 500 ml (Art. N° PS209)  
 1x Polish Special Anti-hologram, 500 ml (Art. N° PS250)  
 1x Foam Pad raspberry Ø 80 mm (Art. N° PS933-80)  
 1x Lamb's Wool Ø 80/16 mm natural/stitched skin (Art. N° PS920-80-16-11030)

### Description of the Product:

Starter Kit Sanding & Polishing - Exclusive





## Kits | Case Set Sanding & Polishing - Professional

Art. N°	Description	Control N°	Unit	EAN
KoSe-SchlPol-Prof	Case Set Sanding & Polishing - professional	2000-0588-008M	1 pcs	

Scope of delivery:

- 1x Case with Inlay
- 1x Pneumatic Nib Sander, oscillating (Art. N° PZ100-A-15-NV-1)
- 1x Pneumatic Polisher, orbital, 14 mm offset (Art. N° PZ200-E-140-NV-1)
- 1x Backup Pad Ø 30 mm incl. interface pad (Art. N° PZ030-542-12)
- 1x Leather Bracelet with Humidifier for Sanding Discs Ø 30 mm (Art. N° PZ620-040-05-H)
- 1x Finish Control Spray, 500 ml (Art. N° PS1500)
- 1x Microfibre Cloths Prometheus blue (Art. N° PS140)
- 1 unit AbraxX Sanding Discs P3000, Ø 32 mm, stick-on, round, (Art. N° AX630-16101-0320)
- 1x Polish Medium Cut, 500 ml (Art. N° PS209)
- 1x Polish Special Anti-hologram, 500 ml (Art. N° PS250)
- 1x Foam Pad raspberry Ø 80 mm (Art. N° PS933-80)
- 1x Lamb's Wool Ø 80/16 mm natural/stitched skin (Art. N° PS920-80-16-1020)

Description of the Product: Starter Kit Sanding & Polishing - Professional



# Kits & Accessories

## Kits | Paint Care Set

Art. N°	Description	Control N°	Unit	EAN
Lack-PS	Paint Care Set	2000-0225-195H	1 pcs	


Scope of delivery: 6x One Step Highspeed Gloss (Art. N° PS1250)  
1 unit Magic Clay Disc Ø 150 mm (Art. N° CE9016-150-13)

Description of the Product: Suitable for vehicle's outdoor area. Removes insect residues, tar, tree resin and other contaminations.





## Kits | Leather Care Set

Art. N°	Description	Control N°	Unit	EAN
LPS	Leather Care Set	2000-0031-991W	1 pcs	

Scope of delivery:

- 1x Leather Protector, 250 ml (Art. N° CE-L 1013)
- 1x Base Coat Basic Cleaner, 250 ml (Art. N° CE-L 1001)
- 1x Foam Pad (Art. N° CE-L 9013)
- 1x Brush, brown (Art. N° CE-L-9012)
- 1x Microfibre Cloths PrometheuS Special blue (Art. N° PS140-R)

Description of the Product: Starter Set for vehicle's interior (leather surfaces)

**visomax**  
for the perfect finish  
[www.visomax.de](http://www.visomax.de)




# Kits & Accessories

## Compag Bag | Starter Kits

Art. N°	Description	Control N°	Unit	EAN
Compact-Starter-AX	Starterkit consumables	2000-0412-006F	1 pcs	

Scope of delivery:	1 VE AbraxX sanding disc, velcro-round P2500 Ø 32 mm 1 VE AbraxX sanding disc, velcro-round P3000 Ø 32 mm 2 x Polierschwamm green, soft Ø80/25 mm 2 x Polierschwamm yellow, medium Ø80/25 mm 1 x Polierschwamm red, hard Ø80/25 mm 1 x PS250i Polish fine, 500 ml 1 x PS209C Polish medium, 500 ml 1 x PS205XC Polish heavy cut, 500 ml 1 x PS1500 Finish Control Spray 1 x AbraxX sanding liquid, 500 ml 1 x Micro fibre cloth blue, 40x40 cm 1 x Backup pad Ø30 mm, green soft, velcro 1 x Backup pad Ø30 mm, yellow medium, velcro 1 x Backup pad Ø30 mm, red hard, velcro 1 x Paint Marker for coats 1 x Leather Bracelet with Humidifier for Sanding Discs 1 x Visomax Bag
--------------------	---

Description of the Product:	Starterkit with consumables
-----------------------------	-----------------------------





## Case Set | Sealant

Art. N°	Description	Control N°	Unit	EAN
Versiegelungskit	Sealant Kit	2000-0259-597T	1 pcs	

Scope of delivery:

- 1x Pneumatic Palm Polisher 5" (Art. N° PZ200-I-50-NV-1)
- 1x Backup Pad Ø 125 mm (Art. N° PZ125-282-2)
- 1x Long Life Paint Sealant (Art. N° PS450)
- 1x Microfibre Polishing Pad, white, Ø 133/14 mm (Art. N° PS980-133-Y)
- 1x Interface Pad velcro, Ø 130 mm (Art. N° PS820-130)
- 1x Microfibre Cloths PrometheuS blue (Art. N° PS140)

Description of the Product:	Starter Kit Sealant
-----------------------------	---------------------



# Kits & Accessories

## Gloves | Disposable Gloves | Latex-Free Gloves



Art. N°	Description	Control N°	Unit	EAN
AS03.2024.07	Nylon gloves (nylon, moderately heavy, white) size 7	1900-0021-598M	10 pcs	
AS03.2024.08	Nylon gloves (nylon, moderately heavy, white) size 8	1900-0021-591U	10 pcs	
AS03.2024.09	Nylon gloves (nylon, moderately heavy, white) size 9	1900-0021-597J	10 pcs	
AS03.2024.10	Nylon gloves (nylon, moderately heavy, white) size 10	1900-0021-598M	10 pcs	
AS03.2024.11	Nylon gloves (nylon, moderately heavy, white) size 11	1900-0021-593Z	10 pcs	

## Gloves | Disposable Gloves | Latex-Free Gloves



Art. N°	Description	Control N°	Unit	EAN
AS76161	Latex-free nitrile gloves, non-steril, powder-free, blue, size S	1900-0017-996Q	200 pcs	
AS76162	Latex-free nitrile gloves, non-steril, powder-free, blue, size M	1900-0017-994L	200 pcs	
AS76163	Latex-free nitrile gloves, non-steril, powder-free, blue, size L	1900-0017-999O	200 pcs	
AS76164	Latex-free nitrile gloves, non-steril, powder-free, blue, size XL	1900-0017-993V	200 pcs	



Art. N°	Description	Control N°	Unit	EAN
PZ-K-CS	Case with inlay for Cordless Series		1 pcs	

Scope of delivery: Case Inlay

Product description: Case with inlay, can be customized according to your wishes





## Terms of Delivery

### Pricing

Prices are the recommended retail prices net.  
Because of rising raw material costs, we reserve the right to raise prices without notice.  
We do not assume any liability for print errors.

### Payment

Unless otherwise agreed, invoices are payable within 30 days of the invoice date.

Please order exclusively in writing to [bestellung@visomax.de](mailto:bestellung@visomax.de).

## General terms and conditions

### 1 General Provisions

- (1) The following conditions form part of the contract concluded with Visomax.
- (2) The latest version of our general terms of sale shall apply to all future business transactions without this requiring explicit reference or agreement upon conclusion thereof. They shall apply exclusively to companies as defined in Section 310, paragraph 1 of the German Civil Code.
- (3) Our general terms of sale apply exclusively. We hereby do not accept any counter-provisions, counteroffers or other references from the Customer relating to their terms and conditions; deviating terms from the Customer shall only apply if confirmed by Visomax in writing.
- (4) The Customer may only transfer claims from legal transactions concluded with Visomax with explicit consent from Visomax.

### 2 Quotes; Orders

- (1) Our quotes are – especially in regards to quantity, price and delivery time – always non-binding and subject to alteration.
- (2) Visomax delivers goods that have been electronically checked (unless otherwise agreed). Measurements that can only be taken by the Customer shall be carried out by the Customer (loop impedance, etc.)
- (3) Visomax products are designed to German standards. Country- or customer-specific changes must be specified during the order process. (Cross-sections, conductor colours, plug type, etc.)
- (4) Source codes (robots, PLC, PC, etc.) are never included with delivery, even if stipulated in the Customer's terms and conditions of purchase.
- (5) Customer orders are only considered accepted when Visomax has confirmed them in writing. If we do not confirm a contract that was concluded verbally or by phone, the invoice issued by Visomax shall be deemed to constitute confirmation.
- (6) We reserve property rights and copyrights of illustrations, drawings, calculations and other documentation. This applies in particular to any written documents that are referred to as "confidential". The Customer may only transfer or pass these documents on to third parties with explicit, written consent from Visomax.

### 3 Prices, Weights

- (1) Our prices are subject to the amount VAT applicable at the time of delivery and are quoted "ex works" – unless the order confirmation specifies otherwise.
- (2) If additional or increased charges – in particular customs duties, levies and currency adjustments – arise after conclusion of the contract but before delivery of the goods due to changes in the law, Visomax is entitled to increase the agreed purchase price accordingly. This also applies to investigation fees.
- (3) Visomax calculates its purchase prices based on the weight recorded during loading. Normal losses in weight during transportation shall be borne by the Customer. Unless otherwise agreed, packaging for transport is included in the price.
- (4) Discounts require separate written agreement.
- (5) Unless the order confirmation states otherwise, the purchase price is to be paid net (without any deductions) within 30 days from the invoice date.

### 4 Delivery; Delivery Time, Reduction of Liability in the event of Late Delivery

- (1) All technical questions must be clarified prior to the start of any delivery time specified by Visomax.
- (2) Fulfilling our delivery obligation requires the Customer to fulfil their obligations in a timely and proper manner. We reserve the right to raise objection to non-fulfilment of the contract.
- (3) Goods are always transported uninsured and at the Customer's risk. This also applies to freight-free delivery and is irrespective of the means of transport used. Insurance of goods in transit shall only be obtained if expressly requested by the Customer.

The Customer shall bear any costs arising therefrom.

- (4) Unless otherwise agreed in writing, Visomax shall choose the place of dispatch, the carrier and the means of transport to the best of its judgement, without assuming any liability for the cheapest and quickest carriage.
- (5) If the Customer is to provide a means of transport, they are responsible for making it available on time. Any delays are to be communicated in good time. Any costs arising therefrom shall be borne by the Customer.
- (6) Visomax has the right to reasonable delivery in instalments.
- (7) Our delivery obligations are always subject to receiving proper and timely delivery from our own suppliers.
- (8) Any delivery and unloading times provided are always non-binding, unless expressly agreed otherwise in writing.
- (9) Any inability to supply as a result of force majeure or other unforeseen incidents beyond the control and responsibility of Visomax, including but not limited to, strikes, lock outs, acts of public authorities, subsequent loss of export or import opportunities as well as Visomax's reservation of timely supply from its own suppliers in accordance with paragraph (7) above, shall, for its duration and in accordance with its impact, relieve Visomax from the obligation to meet any agreed deadlines concerning delivery and unloading. They also give Visomax the right to withdraw from the contract without this resulting in any compensation or other claims being due to the Customer.
- (10) If an agreed delivery or unloading deadline is not met despite the absence of any delivery constraint as laid out in paragraph (9), the Customer is obliged to grant Visomax, in writing, an appropriate extension of at least two weeks. If Visomax also fails to meet the deadline provided by this extension, the Customer is entitled to withdraw from the contract. However, the Customer is not entitled to assert claims for compensation as a result of non-fulfilment or delay, except in cases of intent or gross negligence on the part of Visomax. If the failure to deliver is not due to an intentional breach of contract for which Visomax is responsible, Visomax's liability for damages shall be limited to such losses as are foreseeable and typical of such circumstances.
- (11) If the failure to deliver is due to an intentional breach of contract for which Visomax is responsible, Visomax shall accept liability in accordance with the legal provisions. If, however, the failure to deliver is not due to an intentional breach of contract for which Visomax is responsible, Visomax's liability for damages shall be limited to such losses as are foreseeable and typical of such circumstances.
- (12) Visomax's liability for damages in regards to delivery delays is limited to 3% of the total delivery value for each full week the delivery is delayed, however up to a maximum of 15% of total delivery value.

### 5 Default of Acceptance; Transfer of Risk

- (1) If the Customer is in default of acceptance or violates any other duties of contractual cooperation which lead to a delay in delivery, Visomax is authorised to demand compensation for losses incurred, including any additional expenses. Visomax reserves the right to make any further claims.
- (2) Unless the contract states otherwise, delivery shall be deemed to have been agreed "ex works". If the Customer is in default of acceptance, the risk of accidental loss or deterioration of the purchased goods passes to the Customer at the moment in which the Customer falls into default of acceptance or default of payment.

### 6 Obligation to Inspect and Notify Defects

- (1) The Customer is obligated to immediately conduct the following upon receiving the goods at the agreed destination or, in the case of collection by the Customer, upon accepting the goods:
  - A) check quantities, weight and packaging and record any objections thereto on the delivery note or consignment note, and
  - B) perform a representative quality inspection, involving at least a spot-test, opening appropriate numbers of packaging (cardboard boxes, bags, cans, films, etc.) and inspecting the goods visually.



(2) The following points and deadlines need to be followed in regards to notification of defects from the Customer:

A) Visomax must be notified of any defects prior to the end of the working day on which the goods were delivered to the agreed destination or picked up by the Customer. A different deadline shall apply if the Customer is reporting a defect or defects, which remained undetected despite initial inspection carried out in accordance with paragraph (1). In this instance, the defect must be reported prior to

the end of the next working day to that on which the defect was discovered, however not more than two weeks after delivery or transfer of the goods.

B) All notifications must be made in writing within the aforementioned deadlines via email or fax. Notification of defects by phone is not sufficient. Notifying sales representatives, brokers or agents of defects is inconsequential and any notifications made in this manner shall be disregarded.

C) All notifications must clearly indicate the type and extent of the alleged defect.

D) The Customer is obligated to keep the rejected goods ready for inspection at the site of examination so that Visomax, Visomax's suppliers or experts appointed by Visomax may inspect them.

(3) Objections regarding quantity, weight and packaging of the goods are excluded unless stated on the delivery note, consignment note or delivery receipt in accordance with paragraph 1(a). Furthermore, any and all claims are excluded as soon as the Customer mixes, reuses, resells or begins adapting or processing the delivered goods.

(4) Any goods to which objections are not raised shall be deemed approved and accepted.

## 7 Warranty; Limitations of Liability; Warranty Period

(1) If the Customer notifies Visomax of defects in accordance with the procedures and deadlines stipulated, and these complaints prove objectively justified, the Customer has the right to demand supplementary performance in the form of remedial measures (removal of defects) or delivery of new, non-defective goods.

(2) If remedial measures are requested, Visomax shall bear any expenses required to remedy the defect(s), in particular transport costs, road costs, labour costs and material costs, provided these costs have not been increased by the fact that the purchased goods have been transported to a location other than the place of fulfillment.

If supplementary performance or remedial measures prove unsuccessful after three attempts, the Customer is authorised, at their discretion, to demand withdrawal, reduction and/or compensation.

(3) If the Customer makes claims for compensation, Visomax shall assume liability in accordance with the legal provisions, provided that the losses or damages were the result of a deliberate and wilful act on the part of Visomax or its vicarious agents. If the damages were not the result of a deliberate and wilful act on the part of Visomax or its vicarious agents, Visomax's liability shall be limited to such losses as are foreseeable and typical of such circumstances.

(4) If the Customer is entitled to claim for damages instead of performance, Visomax's liability shall be limited to such losses as are foreseeable and typical of such circumstances.

(5) Liability due to negligent harm caused to life, body or health remains unaffected; this also applies to mandatory liability as laid down in the German Product Liability Act.

(6) The limitation period for any claims arising from defects is 12 months from the transfer of risk. The period of limitation in the case of delivery recourse according to Sections 478 and 479 of the German Civil Code remains unaffected; five years starting from delivery of the defective goods.

## 8 Payment

(1) Unless the order confirmation states otherwise, the purchase price is to be paid net (without any deductions) within 30 days from the invoice date.

(2) We do not accept banknotes or cheques. Discount charges and exchange fees shall be borne by the Customer and are payable immediately.

(3) If the Customer falls into arrears, Visomax is entitled to charge interest on payments in arrears at the amount shown, however at least 9 percentage points above the base interest rate of the ECB, without requiring a separate request for payment.

(4) If the Customer cannot continue orderly business operations, in particular in cases of seizures, payment disruptions or even a cessation of payments, or the Customer has applied for insolvency proceedings, Visomax is entitled to demand immediate payment of all outstanding accounts from the business relationship, even if we have accepted banknotes or cheques. The same shall also apply if the Customer defaults on payment to Visomax or other circumstances become known, which cast doubt on their creditworthiness. Furthermore, in such instances, Visomax is entitled to demand prepayments or guarantees or withdraw from the contract entirely.

(5) The Customer is only entitled to offset, withhold or reduce payments if counterclaims have been established by a court of law or expressly acknowledged by Visomax.

The Customer is only authorised to exercise a right of retention if the counterclaim is based on the same contractual relationship.

## 9 Retention of Title

(1) Any goods delivered by Visomax shall remain the property of Visomax until the Customer has settled all outstanding accounts arising from the business relationship, including all outstanding balances from current accounts and refinancing or acceptor bills.

(2) The Customer is entitled to sell the goods delivered by Visomax in the regular course of business. The authority granted hereunder shall cease in the circumstances laid down in Section 8, paragraph 4 above. Furthermore, if the Customer falls into arrears with the fulfilment of their obligations to Visomax, in particular with their payments, or other circumstances become known which cast doubt on their creditworthiness, Visomax retains the right to revoke, by means of written statement, the Customer's right to sell the goods.

(3) The Customer's right to process goods delivered by Visomax is also subject to the limitations set out in paragraph 2. above. The act of processing shall not result in the Customer obtaining ownership, neither in whole nor in part, of the partly or wholly processed goods; processing shall be carried out free of charge exclusively for Visomax as the manufacturer as defined in Section 950 of the German Civil Code. However, should retention of title expire for any reason, Visomax and the Customer hereby agree; that ownership of the goods, including their processing, shall be transferred to Visomax; that Visomax will accept such transfer; and that the Customer shall remain custodian of the

goods free of charge.

(4) If goods subject to retention of title are inseparably processed or mixed with goods that are under third-party ownership, Visomax shall acquire joint ownership of the new goods or mixed stock. The proportion of ownership shall be determined by the ratio of the invoice value of the goods subject to retention of title held by Visomax and the invoice value(s) of the other product(s).

(5) Goods, to which Visomax acquires ownership or joint ownership in accordance with paragraphs (3) and (4) above, shall be considered goods subject to retention of title as defined in the following provisions, just like goods delivered under retention of title according to paragraph (1) above.

(6) The Customer hereby assigns to Visomax all claims arising from the resale of goods subject to retention of title. This shall include claims against the bank that issued or confirmed a letter of credit for the benefit of the Customer (=reseller) for the purposes of reselling goods. Visomax hereby accepts this assignment. If the goods subject to retention of title are processed products or mixed stock, wherein, in addition to the goods delivered by Visomax, they exclusively contain objects or materials which either belong to the Customer or were delivered to the Customer by third parties under so-called simple retention of title, the Customer shall transfer all claims to Visomax arising from the resale of said goods. If, however, a number of suppliers have advance assignment rights to receivables on the same goods, Visomax shall be entitled to a proportion of revenue from the sale of said goods, based on the ratio of the invoice value of goods provided by Visomax to the invoice value of the other goods with which they have been processed or mixed.

(7) If Visomax's claims are secured beyond any doubt, by more than 125%, with the assignments and retentions detailed above, the surplus of receivables or goods subject to retention of title shall be released upon request from the Customer at Visomax's discretion.

(8) The Customer is entitled to resell the purchased goods in the course of ordinary business; however, the Customer shall hereby assign to Visomax all claims, amounting to the final invoice amount (including VAT) of accounts receivable by Visomax, arising from the resale to Customers or third parties, irrespective of whether the purchased goods were resold before or after processing. The Customer remains entitled to collect these receivables even after assignment. This authority to collect ceases to apply when the Customer is no longer able to conduct its business in a proper manner as defined in the provision provided in Section 8, paragraph (4).

Furthermore, Visomax has the right to revoke the Customer's authority to collect if the Customer falls into arrears with their obligations towards Visomax, in particular with their payments, or other circumstances become known, which cast doubt on their creditworthiness. If Visomax cancels or revokes the Customer's authority to collect, the Customer must; provide the names of the debtors associated with the assigned claims to Visomax without delay; provide Visomax with any information and documentation required to collect the receivables; and inform the debtor of the assignment.

(9) In the event of any third-party action against goods subject to retention of title held by Visomax or any receivables assigned to Visomax, the Customer is obliged to point out Visomax's ownership/right and to promptly inform Visomax accordingly. The Customer shall bear any and all costs for intervention.

(10) If any provision of this contract is breached, in particular through delayed payment, the Customer shall, at Visomax's first request, return any goods subject to retention of title and assign to Visomax any existing surrender claims against third parties concerning goods subject to retention of title. Any repossession or seizure of goods subject to retention of title by Visomax shall not be regarded as a withdrawal from this contract. Visomax shall be entitled to sell the goods after regaining possession of them. Revenue from the sale shall be deducted from the Customer's liabilities - less appropriate administrative costs.

(11) In the circumstances laid down Section 8, paragraph (4), Visomax is entitled to demand that the Customer disclose to Visomax; any receivables assigned to Visomax arising from resale; and the respective debtors in accordance with Section 9 (6). Once this information has been imparted, Visomax has the right to disclose the assignment as it considers appropriate.

(12) The Customer shall handle the purchased goods with care and insure them for their original value against fire, water damage and theft for the duration of the period in which the purchase price has not been fully paid. If any maintenance or inspection work is required, the Customer must have this carried out in due time at their own expense.

(13) In the event of seizures or other third-party claims, the Customer must inform Visomax immediately in written form so that we can take legal action in accordance with Section 771 of the German Code of Civil Procedure. If the third party is unable to reimburse court and other legal costs relating to legal action in accordance with Section 771 of the German Code of Civil Procedure, the Customer shall be liable for any losses incurred by Visomax.

(14) In order to safeguard Visomax's claims against the Customer, the latter shall also assign to Visomax any claims against a third party which result from combination of the purchased goods with property or premises.

## 10 Empties

The Customer shall return any empties (Euro boxes, pallets, Euro hooks, etc.) to Visomax in the same type, quantity and value as those received by the Customer upon delivery of the goods supplied by Visomax. If the Customer is unable to return the empties to Visomax upon delivery of the goods, the Customer shall balance the packaging account without delay and at their own expense (debt to pay). If the Customer fails to meet the due date for returning empties, Visomax is entitled to refuse return after an appropriate period of time and instead demand money from the Customer as compensation.

## 11 Final Provisions

(1) The place of fulfilment for the delivery of goods is the place of business of Visomax.

(2) Würzburg shall be the place of jurisdiction for all disputes arising from the contractual relationship. However, Visomax is free to select a different place of jurisdiction.

(3) The contract shall be governed by the law of the Federal Republic of Germany. International sales law is excluded. This shall expressly also apply to the use of the United Nations Convention on Contracts for the International Sale of Goods (CISG).

(4) If one or more provisions of these general terms of sale prove ineffective or invalid this shall not affect the validity of the remaining provisions. Ineffective and/or invalid provisions shall be deemed replaced with effective and valid provisions that come closest to the economic intention of the omitted provisions.

# visΩmax

*for the perfect finish*

**Visomax Coating GmbH**

Dachdeckerstr. 2 - 4  
97297 Waldbuettelbrunn  
Germany

phone: +49 931 452814 0

fax: +49 931 452814 - 29

e-mail: [info@visomax.de](mailto:info@visomax.de)

[www.visomax.de](http://www.visomax.de)

